



LIGHTING CATALOG

LIGHT FIXTURES, CEILING FANS & ACCESSORIES



WESTINGHOUSE LIGHTING

CONTENTS

INTRODUCTION	2-3	CEILING FAN ACCESSORIES	82-86
Our Story.....	2-3		
LIGHT FIXTURES	4-55	CEILING FAN & LIGHT FIXTURE ACCESSORIES	87-89
Indoor Hanging	4-15		
Indoor Ceiling.....	16-24		
Indoor Wall	25-33		
Designer You®.....	34-37	REPLACEMENT GLASSWARE & ASSORTED SHADES	90-91
Outdoor.....	38-53		
Picture Lights.....	54-55		
CEILING FANS	56-81	LIGHTING HARDWARE	92-97
52" and Above.....	56-66		
42" to 48".....	67-71		
24" to 36".....	72-74	INDEX	98-104
Outdoor.....	75-76		
Ceiling Fan Specifications.....	77-81		



All light fixtures, ceiling fans and accessories in this catalog are Underwriter Laboratories, ETL Listed or RU Certified for safety.

Lamps are not included with product unless otherwise noted. We recommend using Westinghouse lamps in all of our ceiling fans and light fixtures. Westinghouse Lighting reserves the right to make changes and/or improvements (both visually and technically) to the products in this catalog without notice. As a result, some products and/or product information may change.

Visit our website for the latest specifications.



A LEADER IN LIGHTING SINCE 1946


It all started in 1946 with two brothers and a small corner store in South Philadelphia. From this humble beginning, Angelo Brothers evolved into Westinghouse Lighting and the industry leader that we are today.

For over 75 years, our customers have always been our top priority. While our company has grown in both size and scope, we have remained committed to our core values of customer service, quality products, and sustainability.



Our Founders: Romolo & Stanley Angelo

We are proud to be one of the few privately held, multi-generational family businesses in the lighting manufacturing industry. Our team combines generations of experience with exceptional industry knowledge. As the only global lighting company to carry a complete line of lighting fixtures, ceiling fans, lamps, and lighting accessories, we are well-positioned to suit the ever-evolving needs of our residential and commercial customers alike.



WHAT SETS US APART

DEDICATION TO CUSTOMER SERVICE

Our team strives to deliver the best customer experience every time. Our ability to consistently provide quality products, timely shipments, and friendly service has earned us a reputation of trust with new and long-standing customers alike.



QUALITY PRODUCTS & COMPETITIVE PRICING

We believe well-made products should also be accessible. Our strong supplier relationships allow us to provide our customers with competitive pricing on our vast assortment of high-quality lighting solutions. We offer a wide selection of indoor & outdoor lighting fixtures, ceiling fans, lamps, and lighting accessories at various price points, to ensure we have the perfect product for any need.



OUR TEAM

Our knowledgeable, experienced, and tight-knit team has been the cornerstone in our continued success and growth throughout the years. Our team is always available to offer support and guidance for all your lighting needs.

INDUSTRY KNOWLEDGE

Our dedicated team is passionate about lighting and keeping up with the latest trends, styles, and products for both residential and commercial markets.



INDOOR HANGING LIGHT FIXTURES

The perfect lighting fixture adds warm ambience and endless style to your home. From elegant chandeliers to sophisticated pendants, Westinghouse offers a variety of hanging fixtures that blend seamlessly with any home décor.

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61164 Elway
7 Light Chandelier
Antique Ash Finish
with Matte Brushed Gun Metal Accents

Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63514 Elway
7 Light Chandelier
Barnwood Finish
with Washed Copper Accents

Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63515 Elway
7 Light Chandelier
Barnwood Finish
with Galvanized Steel Accents

Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



63684 Belle View
4 Light Chandelier
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 27.50" Diameter: 20.00"

Use (4) Candelabra (E12) Base Lamps, 40 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63516 Oak Lane
5 Light Chandelier
Barnwood Finish
with Washed Copper Accents

Height: 20.25" Width: 31.50" Depth: 17.50"
Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63517 Oak Lane
5 Light Chandelier
Barnwood Finish
with Galvanized Steel Accents

Height: 20.25" Width: 31.50" Depth: 17.50"
Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

† **63420 Scholar**
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
White Opal Glass

Height: 20.00" Diameter: 23.75" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

† **63433 Iron Hill**
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

† **63450 Iron Hill**
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61160 Stella Mira
3 Light Chandelier
Walnut Finish with Brushed Nickel Accents
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63536 Stella Mira
3 Light Chandelier
Barnwood Finish
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63419 Stella Mira
3 Light Chandelier
Brushed Nickel Finish
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63418 Stella Mira
3 Light Chandelier
Oil Rubbed Bronze Finish with Highlights
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63283 Stella Mira
6 Light Chandelier
Brushed Nickel Finish
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61104 Stella Mira
3 Light Chandelier
Antique Ash Finish with Matte Black Accents
Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63282 Stella Mira
6 Light Chandelier
Oil Rubbed Bronze Finish with Highlights
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63336 Stella Mira
6 Light Chandelier
Barnwood and Oil Rubbed Bronze Finish
Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63038 Isadora
3 Light Chandelier
Brushed Nickel Finish
Height: 18.75" Diameter: 12.75" Chain: 36" Cord: 60"
Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63318 Barnwell
3 Light Chandelier
Textured Iron and Barnwood Finish
Clear Hammered Glass
Height: 18.50" Diameter: 19.00" Chain: 36" Cord: 60"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63319 Barnwell
5 Light Chandelier
Textured Iron and Barnwood Finish
Clear Hammered Glass
Height: 23.25" Diameter: 23.50" Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61154 Sylvestre**
3 Light Chandelier
Matte Black Finish
Clear Glass

Height: 17.50" Diameter: 18.25" Chain: 36" Cord: 60"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61153 Sylvestre**
5 Light Chandelier
Matte Black Finish
Clear Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63627 Waltz
Mini Pendant
Matte Black Finish
Crystals

Height: 12.25" Diameter: 7.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62275 Sylvestre
3 Light Chandelier
Brushed Nickel Finish
Frosted Seeded Glass

Height: 17.50" Diameter: 18.25" Chain: 36" Cord: 120"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62274 Sylvestre
5 Light Chandelier
Brushed Nickel Finish
Frosted Seeded Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 120"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61037 Kelcie
Mini Pendant
Brushed Nickel Finish
Crystal Jewel Shade

Height: 10.00" Diameter: 7.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61115 Derose
Pendant
Brushed Brass Finish

Height: 8.00" Diameter: 11.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

63301 Morton
Pendant
Antique Steel Finish

Height: 10.25" Diameter: 11.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61110 Ciara
Pendant
Industrial Steel Finish

Height: 20.50" Diameter: 16.00" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61116 Derose
Pendant
Brushed Nickel Finish


Height: 11.25" Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

61114 Clover
Pendant
Dark Pewter Finish

Height: 12.50" Diameter: 11.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

DIMMABLE
LED



61184 Marlowe

2 Light LED Pendant
Matte Black Finish
Clear Ribbed Glass

Height: 5.50" Width: 31.25" Depth: 5.50"

Includes (2) Medium (E26) Base Lamps, 6.5 Watt T9 LEDs (WL Lamp #35188)

Includes (2) 9.5" and (2) 4.75" long rods

New!



61163 Bartley

Pendant
Matte Black Finish with Dark Pewter Accents
Cage Shade

Height: 20.75" Diameter: 16.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



61194 Danzig

Pendant
Brushed Nickel Finish
with Clear Prismatic Lens

Height: 14.00" Diameter: 13.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63099 Malte

Pendant
Hammered Oil Rubbed Bronze Finish

Height: 6.50" Diameter: 10.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63096 Malte

Pendant
Hammered Brushed Nickel Finish

Height: 6.50" Diameter: 10.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63456 Madras

Mini Pendant
Hammered Oil Rubbed Bronze Finish
with Highlights

Height: 10.00" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63455 Madras

Mini Pendant
Hammered Brushed Nickel Finish

Height: 10.00" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
61184 [†]	2	6.5	75	2700 (Warm White)	800	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61012 Phelps
Mini Pendant
Brushed Nickel Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63566 Phelps
Mini Pendant
Matte Black Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63567 Phelps
Mini Pendant
Matte White Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61054
Mini Pendant
Hammered Copper Finish

Height: 10.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63268 Kilian
Pendant
Matte Brushed Gun Metal Finish

Height: 10.00" Diameter: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63060 Dunmore
Pendant
Oil Rubbed Bronze Finish
Frosted Glass

Height: 13.50" Diameter: 15.25" Chain: 36" Cord: 60"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63620 Stella Mira
Mini Pendant
Brushed Nickel Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63619 Stella Mira
Mini Pendant
Oil Rubbed Bronze Finish
with Highlights

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63621 Stella Mira
Mini Pendant
Washed Copper Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61107 Stella Mira
Mini Pendant
Antique Ash Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61106 Stella Mira
Mini Pendant
Barnwood Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61179 Langston

Pendant
Matte Black Finish with Barnwood Accents
Cage Shade

Height: 9.75" Diameter: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61180 Langston

Pendant
Oil Rubbed Bronze Finish with Vintage Pine Accents
Cage Shade

Height: 9.75" Diameter: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods



61006

Mini Pendant
Oil Rubbed Bronze Finish
Cage Shade

Height: 9.75" Diameter: 6.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61053 Nathaniel

Mini Pendant
Matte Black Finish
Cage Shade

Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63372 Nathaniel

Mini Pendant
Brushed Nickel Finish
Cage Shade

Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63698 Holly

Pendant
Brushed Nickel Finish

Height: 15.50" Diameter: 15.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63236 Nolan

Mini Pendant with Turn Knob
Oil Rubbed Bronze Finish
Cage Shade

Height: 10.25" Diameter: 6.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63623 Isadora

Mini Pendant
Brushed Nickel Finish

Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63697 Holly

Pendant
Champagne Brass Finish

Height: 15.50" Diameter: 15.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63059 Dunmore

2 Light Island Pendant
Oil Rubbed Bronze Finish
Frosted Glass

Height: 18.50" Width: 37.00" Depth: 12.25"

Chain: 36" Cord: 60"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63622 Isadora

Mini Pendant
Oil Rubbed Bronze Finish
with Highlights

Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63512 Holly

Pendant
Champagne Brass Finish

Height: 17.50" Width: 18.25" Depth: 13.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods



63082A Boswell
LED Mini Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods



63346 Boswell
LED Mini Pendant
Brushed Nickel Finish
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods



63084A Boswell
LED Mini Pendant
Washed Copper Finish
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods



63082B Boswell
LED Mini Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
11 Watt Omni A19 LED (WL Lamp #50811)
Includes (3) 9.5" long rods



63085A Boswell
LED Pendant
Chrome Finish
Frosted Prismatic Lens

Height: 11.75" Diameter: 10.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods



63084B Boswell
LED Mini Pendant
Washed Copper Finish
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"
Includes (1) Medium (E26) Base Lamp,
11 Watt Omni A19 LED (WL Lamp #50811)
Includes (3) 9.5" long rods



63087A Boswell
LED Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens

Height: 11.75" Diameter: 10.75"
Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)
Includes (3) 9.5" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
63082A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63346 [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63084A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63082B [†]	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63084B [†]	1	11	75	3000 (Warm White)	1100	80	25000	22.8	\$1.32
63087A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
63085A [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63079 Cava
LED Mini Pendant
Chrome Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63723 Cava
LED Mini Pendant
Matte Black Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63553 Cava
LED Mini Pendant
Champagne Brass Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



61111 Rayman
LED Mini Pendant
Brushed Brass Finish

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Includes 7.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61009 Percy
Mini Pendant
Black Finish
Black Glass

Height: 11.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61013 Percy
Mini Pendant
Brushed Nickel Finish
Perforated Metal Shade

Height: 12.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63079	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
63723	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63553	*	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
61111	*	7.5	40	3000 (Warm White)	560	80	40000	36.5	\$0.90

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63447 Iron Hill

Pendant
Oil Rubbed Bronze Finish
with Highlights

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

◆ 63632 Iron Hill

Pulley Pendant
Oil Rubbed Bronze Finish
with Highlights

Minimum Height: 25.50" Maximum Height: 49.25"
Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

◆ 63325 Iron Hill

3 Light Island Pulley Pendant
Oil Rubbed Bronze Finish
with Highlights

Minimum Height: 32.00" Maximum Height: 59.00"
Width: 40.00" Depth: 12.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61101 Iron Hill

Pendant
Barnwood Finish

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

◆ 61169 Iron Hill

Pulley Pendant
Brushed Nickel Finish

Minimum Height: 25.50" Maximum Height: 49.25"
Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

◆ 63699 Iron Hill

3 Light Island Pulley Pendant
Brushed Nickel Finish

Minimum Height: 32.00" Maximum Height: 59.00"
Width: 40.00" Depth: 12.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63546 Iron Hill

Pendant
Galvanized Steel Finish

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

◆ 61170 Iron Hill

Pulley Pendant
Galvanized Steel Finish

Minimum Height: 25.50" Maximum Height: 49.25"
Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

◆ 61166 Iron Hill

Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 7.00" Diameter: 11.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63389 Sophie

Mini Pendant
Brushed Nickel Finish
Crystal Prism Glass

Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61178 Cindy**

Mini Pendant
Brushed Nickel Finish
Clear Glass

Height: 11.00" Diameter: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

New!

INTEGRATED DIMMABLE LED



• **61195 Moretti**

LED Pendant
Brushed Nickel Finish
Frosted Opal Glass

Height: 19.50" Diameter: 11.75" Adjustable Cord: 50"
Includes 12 Watt Integrated LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63384 Sophie

Mini Pendant
Oil Rubbed Bronze Finish
Crystal Prism Glass

Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63563 Cindy

Mini Pendant
Oil Rubbed Bronze Finish with Barnwood Accents
Clear Seeded Glass

Height: 11.00" Diameter: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63617 Canyon

Mini Pendant
Oil Rubbed Bronze Finish with Barnwood Accents
Clear Seeded Glass

Height: 10.75" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63090 Ida

Pendant
Matte Black and Washed Copper Finish

Height: 5.75" Diameter: 10.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63465 Wanda

Mini Pendant with Turn Knob
Oil Rubbed Bronze Finish
Frosted White Opal Glass

Height: 8.25" Diameter: 8.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61195	*	12	60	3000 (Warm White)	1000	80	50000	45.6	\$1.45

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61187 Soren**
Mini Pendant
Brushed Nickel Finish
Sapphire Glass
Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61188 Soren**
Mini Pendant
Matte Black Finish
Forest Glass
Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63663 Soren**
Mini Pendant
Brushed Nickel Finish
Turquoise Glass
Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61189 Fiona**
Mini Pendant
Brushed Nickel Finish
Turquoise Glass
Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63289 Carmen**
Mini Pendant
Oil Rubbed Bronze Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63290 Carmen**
Mini Pendant
Brushed Nickel Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63714 Carmen**
Mini Pendant
Antique Brass Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63715 Carmen**
Mini Pendant
Washed Copper Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63713 Carmen**
Mini Pendant
Barnwood Finish
Clear Textured Glass
Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61008 Fiona**

Mini Pendant
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61007 Fiona**

Mini Pendant
Brushed Nickel Finish
Clear Seeded Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61026 Wes**

Mini Pendant
Oil Rubbed Bronze Finish
Clear Glass

Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63565 Fiona**

Mini Pendant
Antique Brass Finish
Clear Seeded Glass

Height: 8.75" Diameter: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63564 Fiona**

Mini Pendant
Washed Copper Finish
Clear Seeded Glass

Height: 8.75" Diameter: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61064 Wes**

Mini Pendant
Brushed Nickel Finish
Clear Glass

Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63288 Basset**

Mini Pendant
Brushed Nickel Finish
Clear Hammered Glass

Height: 8.25" Diameter: 6.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61065 Ramsey**

Mini Pendant
Brushed Nickel Finish
Clear Glass

Height: 11.50" Diameter: 8.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61057**

Mini Pendant
Brushed Nickel Finish
Clear Crackle Glass

Height: 11.00" Diameter: 6.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63092**

Mini Pendant
Brushed Nickel Finish
Clear Crackle Glass

Height: 8.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR CEILING LIGHT FIXTURES

Our diverse assortment of ceiling fixture designs ensures the perfect combination of styles and finishes to complement any décor.

New!



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61168 Boswell
4 Light Track Light Kit
Oil Rubbed Bronze Finish with Highlights
Height: 10.25" Width: 36.50" Depth: 5.00"
Use (4) GU10 Base MR16 Lamps, 50 Watt Maximum

New!



61193 Judd
8 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 11.25" Diameter: 8.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63360 Louis
9 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish
Height: 7.00" Diameter: 9.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63422 Scholar
7 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish
White Opal Glass
Height: 9.00" Diameter: 7.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63700 Iron Hill
9 in. 1 Light Semi-Flush
Brushed Nickel Finish
Height: 5.25" Diameter: 8.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63701 Iron Hill
9 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish with Highlights
Height: 5.25" Diameter: 8.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65732 Scholar
9 in. 1 Light Semi-Flush
Brushed Nickel Finish
Clear Glass
Height: 10.50" Diameter: 9.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63702 Iron Hill
12 in. 1 Light Semi-Flush
Brushed Nickel Finish
Height: 5.75" Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63703 Iron Hill
12 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish with Highlights
Height: 5.75" Diameter: 12.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



61074
11 in. 20W LED Flush
White Finish
Frosted Acrylic Shade

Height: 2.25" Diameter: 11.00"
Includes 20 Watt Integrated LED

INTEGRATED DIMMABLE LED



61073
11 in. 20W LED Flush
Brushed Nickel Finish
Frosted Acrylic Shade

Height: 2.25" Diameter: 11.00"
Includes 20 Watt Integrated LED

New!

INTEGRATED DIMMABLE LED



61174
11 in. 20W LED Flush
Matte Black Finish
Acrylic Shade

Height: 2.25" Diameter: 11.00"
Includes 20 Watt Integrated LED

INTEGRATED DIMMABLE LED



61066
11 in. 15W LED Flush
White Finish
White Alabaster Glass

Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED



63088
11 in. 15W LED Flush
Brushed Nickel Finish
White Alabaster Glass

Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED



63089
11 in. 15W LED Flush
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63706 Meadowbrook
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
with Highlights
Frosted Glass

Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63241 Meadowbrook
13 in. 2 Light Flush
Matte Black Finish
Frosted Glass

Height: 5.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61074	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61073	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61174	*	20	75	3000 (Warm White)	1400	80	25000	22.8	\$2.41
61066	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63088	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
63089	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



61123 Lauderdale
11 in. 19W LED Flush
Brushed Nickel Finish
White Frosted Shade
Height: 3.50" Diameter: 11.00"
Includes 19 Watt Integrated LED



64012 Lauderdale
16 in. 23W LED Flush
Brushed Nickel Finish
White Acrylic Shade
Height: 3.50" Diameter: 15.75"
Includes 23 Watt Integrated LED



63078 Lauderdale
33 in. 35W LED Flush
Brushed Nickel Finish
White Acrylic Lens
Height: 4.75" Width: 32.50" Depth: 18.25"
Includes 35 Watt Integrated LED



61117
6 in. 7W LED Flush
with Motion Sensor
White Finish
White Frosted Acrylic, 3000K
Height: 1.00" Diameter: 5.75"
Includes 7 Watt Integrated LED



61118
6 in. 7W LED Flush
with Motion Sensor
White Finish
White Frosted Acrylic, 4000K
Height: 1.00" Diameter: 5.75"
Includes 7 Watt Integrated LED



64009 Lauderdale
12 in. 15W LED Semi-Flush
Brushed Nickel Finish
White Acrylic Shade
Height: 9.50" Diameter: 12.00"
Includes 15 Watt Integrated LED



61119
5 in. 11W LED Flush with Color Temperature Selection
White Finish
White Frosted Shade
Height: 0.50" Diameter: 5.00"
Includes 11 Watt Integrated LED



61120
7 in. 17W LED Flush with Color Temperature Selection
White Finish
White Frosted Shade
Height: 0.50" Diameter: 7.00"
Includes 17 Watt Integrated LED



66223 Wensley
10 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish
White Alabaster Glass
Height: 7.25" Diameter: 10.25"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61123	*	19	100	3000 (Warm White)	1900	80	50000	45.6	\$2.29
64012	*	23	100	3000 (Warm White)	1900	80	50000	45.6	\$2.77
63078	*	35	200	3000 (Warm White)	3500	80	50000	45.6	\$4.22
61117	*	7	40	3000 (Warm White)	650	80	50000	45.6	\$0.84
61118	*	7	40	4000 (Cool White)	650	80	50000	45.6	\$0.84
64009	*	15	75	3000 (Warm White)	1350	80	50000	45.6	\$1.81
61119	*	11	40	2700, 3000, 3500, 4000, 5000 (Multi 5)	770	90	50000	45.6	\$1.32
61120	*	17	75	2700, 3000, 3500, 4000, 5000 (Multi 5)	1250	90	50000	45.6	\$2.05

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65738 Dunmore
15 in. 2 Light Semi-Flush
Brushed Nickel Finish
Frosted Glass
Height: 12.25" Diameter: 14.50"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63065 Dunmore
15 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish
Frosted Glass
Height: 12.25" Diameter: 14.50"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



† **63403 Pacific Falls**
2 Light Pendant/Semi-Flush
Amber Bronze Finish
with Highlights
White Alabaster Glass
Height: 13.75" Diameter: 14.00" Chain: 36" Cord: 60"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INTEGRATED DIMMABLE LED
INDOOR OUTDOOR WET RATED



63219
6 in. 12W LED Surface Mount
Brushed Nickel Finish
Frosted Lens, 3000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED
INDOOR OUTDOOR WET RATED



63220
6 in. 12W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 3000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED
INDOOR OUTDOOR WET RATED



63224
6 in. 12W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 4000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED
INDOOR OUTDOOR WET RATED



63221
6 in. 12W LED Surface Mount
White Finish
Frosted Lens, 3000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED
INDOOR OUTDOOR WET RATED



63225
6 in. 12W LED Surface Mount
White Finish
Frosted Lens, 4000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED
INDOOR OUTDOOR WET RATED



63644
6 in. 12W LED Surface Mount
White Finish
Frosted Lens, 5000K
Height: 1.00" Diameter: 6.00"
Includes 12 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63219	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63220	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63224	*	12	60	4000 (Cool White)	840	80	50000	45.6	\$1.45
63221	*	12	60	3000 (Warm White)	840	80	50000	45.6	\$1.45
63225	*	12	60	4000 (Cool White)	840	80	50000	45.6	\$1.45
63644	*	12	60	5000 (Daylight)	840	80	50000	45.6	\$1.45

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day



63226
7 in. 15W LED Surface Mount
Chrome Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED



63233
7 in. 15W LED Surface Mount
White Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED



63228
7 in. 15W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED



63645
7 in. 15W LED Surface Mount
White Finish
Frosted Lens, 5000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED



63231
7 in. 15W LED Surface Mount
Brushed Nickel Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED



63232
7 in. 15W LED Surface Mount
Oil Rubbed Bronze Finish
Frosted Lens, 4000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED



63229
7 in. 15W LED Surface Mount
White Finish
Frosted Lens, 3000K
Height: 1.25" Diameter: 7.50"
Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63226	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63228	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63231	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63232	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63229	*	15	75	3000 (Warm White)	1050	80	50000	45.6	\$1.81
63233	*	15	75	4000 (Cool White)	1050	80	50000	45.6	\$1.81
63645	*	15	75	5000 (Daylight)	1050	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

New!

FIXTURE FAMILY
COORDINATING
ITEMS AVAILABLE



61159 Basset
13 in. 2 Light Flush
Brushed Nickel Finish
Clear Seeded Glass

Height: 6.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

New!

INTEGRATED
DIMMABLE
LED



61186
11 in. 15W LED Flush
Matte Black Finish
Frosted Glass

Height: 4.75" Diameter: 11.00"
Includes 15 Watt Integrated LED

New!



61177
11 in. 1 Light Flush
Matte Black Finish
Crystal Ribbed Glass

Height: 6.25" Diameter: 11.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED
DIMMABLE
LED



64005
11 in. 15W LED Flush
Brushed Nickel Finish
White Alabaster Glass

Height: 4.75" Diameter: 11.00"
Includes 15 Watt Integrated LED

INTEGRATED
DIMMABLE
LED



64006
11 in. 15W LED Flush
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 4.75" Diameter: 11.00"
Includes 15 Watt Integrated LED

64291
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
Frosted White Alabaster Glass

Height: 6.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64302
13 in. 2 Light Flush
Polished Brass Finish
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64292
15 in. 3 Light Flush
Oil Rubbed Bronze Finish
Frosted White Alabaster Glass

Height: 6.75" Diameter: 15.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61186	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81
64005	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81
64006	*	15	75	3000 (Warm White)	1200	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day



64304

11 in. 1 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.00" Diameter: 11.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



64305

13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64306

15 in. 3 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.50" Diameter: 15.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



63444

13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



63445

13 in. 2 Light Flush
Oil Rubbed Bronze Finish
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66297

12 in. 1 Light Flush
Brushed Nickel Finish
White Alabaster Glass

Height: 4.25" Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63048 Harwell

13 in. 2 Light Flush
Amber Bronze Finish
with Highlights
Frosted Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66686

11 in. 3 Light Flush
Antique Brass Finish
Frosted Ruffled Edge Glass

Height: 5.75" Width: 11.00" Depth: 11.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



66326

10 in. 3 Light Multi-Directional Flush
Off White Finish

Height: 8.25" Width: 10.25" Extends: 18.25"

Use (3) Medium (E26) Base Lamps, 65 Watt Maximum



67345

9 in. 2 Light Flush
Pull Chain
White Finish
White and Clear Glass

Height: 5.25" Diameter: 8.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66206

13 in. 2 Light Semi-Flush
White Finish
White Scroll Design Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



61072
7 in. 10W LED Flush
Brushed Nickel Finish
Frosted Fluted Glass
Height: 4.00" Diameter: 7.00"
Includes 10 Watt Integrated LED



61071
7 in. 10W LED Flush
White Finish
White Opal Glass
Height: 4.75" Diameter: 7.25"
Includes 10 Watt Integrated LED



66699
7 in. 1 Light Flush
White Finish
White Glass
Height: 4.75" Diameter: 7.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



67210
9 in. 2 Light Flush
Pull Chain
Brushed Nickel Finish
Frosted Fluted Glass
Height: 4.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



67202
9 in. 2 Light Flush
Pull Chain
Sienna Finish
Frosted Fluted Glass
Height: 4.25" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66611
9 in. 2 Light Flush
White Finish
White Glass
Height: 5.00" Diameter: 8.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66610
10 in. 2 Light Flush
Antique Brass Finish
Clear Faceted Glass
Height: 5.50" Diameter: 9.50"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64011
11 in. 15W LED Flush
White Finish
White Acrylic Shade
Height: 3.50" Diameter: 11.00"
Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61072	*	10	60	3000 (Warm White)	1000	80	25000	22.8	\$1.20
61071	*	10	60	3000 (Warm White)	1000	80	25000	22.8	\$1.20
64011	*	15	75	3000 (Warm White)	1500	80	50000	45.6	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day



61070
 6 in. 8W LED Flush
 White Finish
 White Opal Glass Globe
 Height: 7.25" Diameter: 6.00"
 Includes 8 Watt Integrated LED



66680
 6 in. 1 Light Flush
 Pull Chain
 White Finish
 White Glass Globe
 Height: 7.25" Diameter: 6.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66607
 6 in. 1 Light Flush
 White Finish
 White Glass Globe
 Height: 7.25" Diameter: 6.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



67208
 6 in. 1 Light Flush
 Pull Chain
 Brushed Nickel Finish
 White Glass Globe
 Height: 7.25" Diameter: 6.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61070	*	8	60	3000 (Warm White)	800	80	50000	45.6	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
 * Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR WALL LIGHT FIXTURES

Utilize the versatility of wall fixtures to enhance the beauty of a fireplace, accentuate nooks and quiet spaces, or add a decorative touch around a bathroom mirror. The possibilities are endless.



All wall fixtures in this section are damp location approved.

New!



• 61192 Marla
 1 Light Wall Fixture
 Brushed Nickel Finish
 Clear Glass
 Height: 14.50" Width: 9.25" Extends: 10.75"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



• 61167 Lavina
 1 Light Wall Fixture
 Oil Rubbed Bronze Finish with Highlights
 Clear Seeded Glass
 Height: 14.50" Width: 4.50" Extends: 6.50"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



63240 Meadowbrook
 1 Light Wall Fixture
 Matte Black Finish
 Height: 9.25" Width: 4.75" Extends: 6.00"
 Use (1) Candelabra (E12) Base Lamp, 40 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 61100 Enzo James**
 1 Light Wall Fixture
 Brushed Nickel Finish
 Clear Water Glass
 Height: 10.75" Width: 6.25" Extends: 5.50"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 63523 Burnell**
 1 Light Wall Fixture
 Oil Rubbed Bronze Finish
 Clear Seeded Glass
 Height: 12.00" Width: 7.50" Extends: 5.75"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 63691 Exton**
 1 Light Wall Fixture
 Distressed Aluminum Finish
 Gun Metal Shade
 Height: 7.75" Width: 8.00" Extends: 9.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 63695 Enzo James**
 1 Light Wall Fixture
 Brushed Nickel Finish
 Frosted Glass
 Height: 10.75" Width: 6.25" Extends: 5.50"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 61109 Burnell**
 1 Light Wall Fixture
 Barnwood Finish
 Clear Seeded Glass
 Height: 12.00" Width: 7.50" Extends: 5.75"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



****63316 Barnwell**
 1 Light Wall Fixture
 Textured Iron and Barnwood Finish
 Clear Hammered Glass
 Height: 8.50" Width: 5.00" Extends: 6.50"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

INTEGRATED DIMMABLE LED

ADA COMPLIANT



▲ **61183** Cava
15W 1 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 15.00" Width: 5.00" Extends: 3.75"
Includes 15 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



* **63076** Cava
8W 1 Light LED Wall Fixture
Chrome Finish
Bubble Glass
Height: 7.75" Width: 5.00" Extends: 5.75"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63720 Cava
9W 1 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 13.00" Width: 5.00" Extends: 5.50"
Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED

ADA COMPLIANT

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



* **63726** Cava II
21W 3 Light LED Wall Fixture
Matte Black Finish
Bubble Glass
Height: 5.50" Width: 19.75" Extends: 3.00"
Includes (3) x 7 Watt Integrated LEDs

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63721 Cava
22W 3 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 13.00" Width: 21.75" Extends: 5.50"
Includes (3) x 7.3 Watt Integrated LEDs

INTEGRATED DIMMABLE LED

MULTI-KELVIN



▲ **61121**
25W 1 Light LED Wall Fixture
with Color Temperature Selection
Brushed Nickel Finish
White Frosted Shade
Height: 4.50" Width: 24.75" Extends: 4.75"
Includes 25 Watt Integrated LED

INTEGRATED DIMMABLE LED

MULTI-KELVIN



▲ **61122**
30W 1 Light LED Wall Fixture
with Color Temperature Selection
Brushed Nickel Finish
White Frosted Shade
Height: 4.50" Width: 36.00" Extends: 4.75"
Includes 30 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61183	*	15	75	3000 (Warm White)	1150	80	50000	45.6	\$1.81
63076	*	8	40	3000 (Warm White)	600	80	25000	22.8	\$0.96
63720	*	9	60	3000 (Warm White)	800	80	40000	36.5	\$1.08
63726	*	21	100	3000 (Warm White)	1800	80	40000	36.5	\$2.53
63721	*	22	100	3000 (Warm White)	1800	80	40000	36.5	\$2.65
61121	*	25	125	2700, 3000, 3500, 4000, 5000 (Multi 5)	2375	80	50000	45.6	\$3.01
61122	*	30	175	2700, 3000, 3500, 4000, 5000 (Multi 5)	2850	80	50000	45.6	\$3.61

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
*Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

* Fixture can be installed up or down
● Fixture listed for dry locations only
▲ Fixture can be installed horizontal or vertical



All wall fixtures in this section are damp location approved.

New!



61161 Boswell
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Frosted Prismatic Acrylic Lens
Height: 10.00" Width: 7.00" Extends: 8.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

New!



61162 Boswell
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Frosted Prismatic Acrylic Lens
Height: 11.00" Width: 23.50" Extends: 8.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63332 Eldon
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass
Height: 12.25" Width: 6.25" Extends: 8.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



61181 Cindy
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Barnwood Accents
Clear Seeded Glass
Height: 10.50" Width: 6.50" Extends: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!



61182 Cindy
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Barnwood Accents
Clear Seeded Glass
Height: 11.25" Width: 24.00" Extends: 8.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

63510 North Shore
1 Light Wall Fixture
Weathered Steel Finish
Clear Seeded Glass
Height: 10.50" Width: 6.00" Extends: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65745 Ashton
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass
Height: 12.00" Width: 4.75" Extends: 8.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63530 Chaddsford
1 Light Wall Fixture
Champagne Brass Finish
Frosted Glass
Height: 13.75" Width: 5.50" Extends: 6.00"
Use (1) Candelabra (E12) Base Lamp, 60 Watt Maximum



**** 63266 Basset**
 1 Light Wall Fixture
 Dark Pewter Finish
 Smoke Grey Hammered Glass
 Height: 10.25" Width: 5.00" Extends: 6.50"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 61157 Basset**
 1 Light Wall Fixture
 Brushed Nickel Finish
 Clear Seeded Glass
 Height: 10.25" Width: 5.00" Extends: 6.50"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 61158 Basset**
 3 Light Wall Fixture
 Brushed Nickel Finish
 Clear Seeded Glass
 Height: 10.25" Width: 22.75" Extends: 7.25"
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 62278 Sylvestre**
 1 Light Wall Fixture
 Brushed Nickel Finish
 Frosted Seeded Glass
 Height: 8.25" Width: 4.75" Extends: 6.25"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 63540 Sylvestre**
 1 Light Wall Fixture
 Oil Rubbed Bronze Finish
 Frosted Glass
 Height: 8.25" Width: 4.75" Extends: 6.25"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 61155 Sylvestre**
 1 Light Wall Fixture
 Matte Black Finish
 Clear Glass
 Height: 8.25" Width: 4.75" Extends: 6.25"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



*** 62279 Sylvestre**
 3 Light Wall Fixture
 Brushed Nickel Finish
 Frosted Seeded Glass
 Height: 8.25" Width: 15.75" Extends: 6.25"
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 63541 Sylvestre**
 3 Light Wall Fixture
 Oil Rubbed Bronze Finish
 Frosted Glass
 Height: 8.25" Width: 15.75" Extends: 6.25"
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

New!

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 61156 Sylvestre**
 3 Light Wall Fixture
 Matte Black Finish
 Clear Glass
 Height: 8.25" Width: 15.75" Extends: 6.25"
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 63039 Alexander**
 2 Light Wall Fixture
 Brushed Nickel Finish
 Rippled White Glazed Glass
 Height: 11.25" Width: 15.25" Extends: 6.00"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 63040 Alexander**
 3 Light Wall Fixture
 Brushed Nickel Finish
 Rippled White Glazed Glass
 Height: 11.25" Width: 22.50" Extends: 6.00"
 Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE



**** 63041 Alexander**
 4 Light Wall Fixture
 Brushed Nickel Finish
 Rippled White Glazed Glass
 Height: 11.25" Width: 30.25" Extends: 6.00"
 Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



All wall fixtures in this section are damp location approved.

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63278 Morrison**
1 Light Wall Fixture
Brushed Nickel Finish
Mesh Shade

Height: 9.00" Width: 6.25" Extends: 8.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63276 Morrison**
3 Light Wall Fixture
Brushed Nickel Finish
Mesh Shades

Height: 8.00" Width: 22.75" Extends: 8.25"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63380 Oliver**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Cage Shades

Height: 13.75" Width: 27.25" Extends: 8.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63438B Hansen**
3 Light Wall Fixture
Chrome Finish
White Linen Glass

Height: 7.75" Width: 19.75" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63421 Scholar
3 Light Wall Fixture
Oil Rubbed Bronze Finish
White Opal Glass

Height: 10.00" Width: 24.00" Extends: 8.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63379 Sophie**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Crystal Prism Glass

Height: 12.25" Width: 26.50" Extends: 8.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63075 Midori**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass

Height: 10.00" Width: 20.75" Extends: 7.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 65735 Midori**
2 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass

Height: 10.75" Width: 15.00" Extends: 7.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 65736 Midori**
3 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass

Height: 10.00" Width: 20.75" Extends: 7.00"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63073 Midori**
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass

Height: 8.50" Width: 5.00" Extends: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63074 Midori**
2 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass

Height: 10.75" Width: 15.00" Extends: 7.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

New!

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61165 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass
Height: 8.00" Width: 8.25" Extends: 9.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63435 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63434 Iron Hill
3 Light Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63448 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63548 Iron Hill
2 Light Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Height: 7.75" Width: 19.75" Extends: 9.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63449 Iron Hill
3 Light Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63543 Iron Hill
1 Light Wall Fixture
Brushed Nickel Finish
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61103 Iron Hill
2 Light Wall Fixture
Brushed Nickel Finish
Height: 7.75" Width: 19.75" Extends: 9.75"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63544 Iron Hill
3 Light Wall Fixture
Brushed Nickel Finish
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63704 Iron Hill
1 Light Wall Fixture
Washed Copper Finish
Height: 8.00" Width: 8.75" Extends: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63547 Iron Hill
3 Light Wall Fixture
Galvanized Steel Finish
Height: 7.75" Width: 29.00" Extends: 9.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63363 Maggie
2 Light Wall Fixture
Brushed Nickel Finish
Height: 8.25" Width: 22.00" Extends: 10.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



All wall fixtures in this section are damp location approved.

New!



**** 61173 Harwell**
1 Light Wall Fixture
Matte Black Finish
White Opal Glass
Height: 8.50" Width: 6.50" Extends: 7.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

New!

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 61172 Harwell**
3 Light Wall Fixture
Matte Black Finish
White Opal Glass
Height: 8.50" Width: 24.25" Extends: 7.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

New!

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 61171 Harwell**
4 Light Wall Fixture
Matte Black Finish
White Opal Glass
Height: 8.50" Width: 32.50" Extends: 7.75"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63355 Louis
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Height: 8.50" Width: 9.00" Extends: 10.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63015 Harwell**
3 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass
Height: 8.50" Width: 24.25" Extends: 7.75"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



**** 63019 Harwell**
4 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass
Height: 8.50" Width: 32.50" Extends: 7.75"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63034 Elvaston**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 8.75" Width: 23.00" Extends: 7.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63036 Elvaston**
5 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 9.25" Width: 39.00" Extends: 7.50"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



*** 66522**
3 Light Wall Fixture
Chrome Finish
Frosted Pleated Glass
Height: 8.50" Width: 24.00" Extends: 7.25"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63069 Dunmore**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 9.50" Width: 23.50" Extends: 7.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63070 Dunmore**
4 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 9.25" Width: 31.50" Extends: 7.50"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 65737 Dunmore**
4 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass
Height: 9.25" Width: 31.50" Extends: 7.50"
Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE
FAMILY
COORDINATING
ITEMS AVAILABLE



* **66496** Trinity

1 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 9.00" Width: 5.25" Extends: 8.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE
FAMILY
COORDINATING
ITEMS AVAILABLE



* **66417** Trinity

2 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50" Width: 13.50" Extends: 8.50"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE
FAMILY
COORDINATING
ITEMS AVAILABLE



* **66497** Trinity

3 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50" Width: 17.25" Extends: 8.25"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



* **62238** Trinity II

1 Light Wall Fixture
Oil Rubbed Bronze Finish
Aged Alabaster Glass

Height: 9.00" Width: 5.25" Extends: 8.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66654

1 Light Wall Fixture with On/Off Switch
Brushed Nickel Finish
White Opal Glass

Height: 8.00" Width: 4.50" Extends: 5.00"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66601

1 Light Wall Fixture with On/Off Switch
Polished Brass Finish
Frosted Etched Grape Design Glass

Height: 7.75" Width: 4.50" Extends: 4.75"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66402

1 Light Wall Fixture with Ground Convenience Outlet
and Pull Chain
Chrome Finish
Base White and Crystal Glass

Height: 4.75" Width: 5.25" Extends: 7.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



* **66401**

1 Light Wall Fixture
White Finish
Base White Ceramic Glass

Height: 7.50" Width: 4.50" Extends: 4.50"

Use (1) Medium (E26) Base Lamp, 75 Watt Maximum



66403

2 Light Wall Fixture with Ground Convenience Outlet
White Finish
Base White and Crystal Glass

Height: 4.50" Width: 14.00" Extends: 5.00"

Use (2) Medium (E26) Base Lamps, 75 Watt Maximum



All wall fixtures in this section are damp location approved.

New!



▲ 61175
3 Light Wall Fixture
Matte Black Finish
Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66406
3 Light Bath Bar
Chrome Finish
Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66449
4 Light Bath Bar
Beveled Mirror
Height: 4.25" Width: 24.00" Extends without Lamps: 3.25"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum

New!



▲ 61176
4 Light Wall Fixture
Matte Black Finish
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66411
4 Light Wall Fixture
Chrome Finish
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66450
6 Light Bath Bar
Beveled Mirror
Height: 4.25" Width: 36.00" Extends without Lamps: 3.25"
Use (6) Medium (E26) Base Lamps, 100 Watt Maximum



66595
4 Light Bath Bar
White Finish
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum

DesignerYou® YOUR LIGHT, YOUR CHOICE...

Customizable fixtures inspire creativity for quick and easy home upgrades. It's as easy as 1-2-3. Imagine the endless opportunities to design and combine lighting to match any style.



Choose Your
Fixture and Finish...

Choose
Your Shade...



Enjoy new lighting designed by YOU!

CHOOSE YOUR FIXTURE AND FINISH



70285
Mini Pendant
Oil Rubbed Bronze Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70286
Mini Pendant
White Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70284
Mini Pendant
Brushed Nickel Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70287
Mini Pendant
Antique Brass Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



85718
Mini Pendant
Chrome Finish
Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum




61024
Mini Pendant
Oil Rubbed Bronze Finish
Height: 3.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum




61032
Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63012
3 Light Mini Pendant
Brushed Nickel Finish

Height: 3.50" Width: 23.50" Depth: 4.50"
Adjustable Cord: 50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



63013
3 Light Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.50" Width: 23.50" Depth: 4.50"
Adjustable Cord: 50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63005**
2 Light Wall Fixture
Brushed Nickel Finish

Height: 6.50" Width: 11.00" Extends: 5.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63008**
3 Light Wall Fixture
Brushed Nickel Finish

Height: 7.00" Width: 19.50" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63006**
3 Light Wall Fixture
Oil Rubbed Bronze Finish

Height: 7.00" Width: 19.50" Extends: 6.50"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

Transform existing recessed lighting into a pendant or other light fixture!

Patent No. 9,496,699



01011
Recessed Light Converter

- Quick and easy home upgrade with no remodeling.
- Adjust to any recessed can size between 4" - 6" diameter.
- Works with existing recessed cans that use medium base lamps.
- 50 lb. maximum load rating.

CHOOSE YOUR GLASSWARE & ASSORTED SHADES

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



85033
Oil Rubbed Bronze Finish
Cage Shade
with Closed Bottom

Fitter: 2.25"
Height: 8.00"
Diameter: 6.75"



85031
Brushed Nickel Finish
Cage Shade
with Closed Bottom

Fitter: 2.25"
Height: 8.00"
Diameter: 6.75"



• **85090**
Clear Seeded
Glass Shade

Fitter: 2.25"
Height: 4.73"
Diameter: 4.33"



• **85055**
Clear
Barrel Shade

Fitter: 2.25"
Height: 6.30"
Diameter: 5.91"



• **85053**
White Opal
Cylinder Shade

Fitter: 2.25"
Height: 6.97"
Diameter: 3.94"



• **81311**
Fire Pit
Shade

Fitter: 2.25"
Height: 5.38"
Diameter: 4.50"



81277
Beveled Clear Glass
Bell Shade

Fitter: 2.25"
Height: 4.75"
Diameter: 4.88"



• **81095**
Clear Seeded
Bell Shade

Fitter: 2.25"
Height: 5.25"
Diameter: 4.81"



• **81412**
Lunar Weave
Shade

Fitter: 2.25"
Height: 6.00"
Width: 5.38"



81333
Honey Swirl Scavo
Shade

Fitter: 2.25"
Height: 4.38"
Diameter: 6.88"



81272
Milky Scavo
Bell Shade

Fitter: 2.25"
Height: 4.75"
Diameter: 5.38"



81119
Licorice Marbleized
Bell Shade

Fitter: 2.25"
Height: 4.50"
Diameter: 4.75"



81422
Brown Marbleized
Bell Shade

Fitter: 2.25"
Height: 4.65"
Diameter: 5.40"



• **81227**
White Opal
Bell Shade

Fitter: 2.25"
Height: 5.00"
Diameter: 4.75"



81270
Frosted and Clear
Cross Shade

Fitter: 2.25"
Height: 5.25"
Diameter: 5.00"



81098
Milky Scavo
Bell Shade

Fitter: 2.25"
Height: 5.25"
Diameter: 5.50"

SHELF DISPLAY



PATENT NO.
9,496,699

0101108

Recessed Light Converter Shelf Display
11.3" L x 9.1" W x 10.3" H

- Easily change ordinary recessed lights into beautiful, modern lighting.
- Display the Recessed Light Converter using our Shelf Merchandiser.
- The perfect way to display inventory and increase your sales.
- Each display comes with 6 pieces of the Recessed Light Converter.

OUTDOOR LIGHT FIXTURES

Make a welcoming statement to visitors with the timeless design and durable craftsmanship of our outdoor lighting fixtures.



All outdoor fixtures in this section are wet rated unless otherwise noted.

INTEGRATED DIMMABLE LED
DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65807 Mayslick
Dimmable LED Wall Fixture
Nickel Luster Finish
Frosted Glass
Height: 7.00" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 5.00" W: 5.00"
Includes 8.5 Watt Integrated LED

INTEGRATED DIMMABLE LED
DARK SKY FRIENDLY



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63156 Mayslick
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 7.00" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 3.54"
Back Plate: H: 5.00" W: 5.00"
Includes 8.5 Watt Integrated LED

DARK SKY FRIENDLY



67973
Wall Fixture
Polished Graphite Finish
Height: 7.00" Width: 4.50" Extends: 7.75"
Height from Center of Outlet Box: 2.76"
Back Plate: H: 5.00" W: 4.25"
Use (1) Medium (E26) Base Lamp, 75 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65793 Mayslick
Dimmable LED Up and Down Light Wall Fixture
Nickel Luster Finish
Frosted Glass
Height: 12.25" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 6.00"
Back Plate: H: 5.00" W: 5.00"
Includes (2) x 8.5 Watt Integrated LEDs

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63157 Mayslick
Dimmable LED Up and Down Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass
Height: 12.25" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 6.10"
Back Plate: H: 5.00" W: 5.00"
Includes (2) x 8.5 Watt Integrated LEDs

67975



Up and Down Light Wall Fixture
Polished Graphite Finish
Height: 15.00" Width: 5.00" Extends: 8.25"
Height from Center of Outlet Box: 7.50"
Back Plate: H: 5.00" W: 4.25"
Use (2) Medium (E26) Base Lamps, 75 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65807	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
63156	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02
65793	*	17	75	2700 (Warm White)	1280	80	20000	18.2	\$2.05
63157	*	17	75	2700 (Warm White)	1280	80	20000	18.2	\$2.05

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



65802 French Quarter
 Wall Fixture
 Oil Rubbed Bronze Finish with Highlights
 Clear Seeded Glass
 Height: 10.75" Width: 10.00" Extends: 5.75"
 Height from Center of Outlet Box: 5.50"
 Back Plate: H: 8.66" W: 5.11"
 Use (1) Medium (E26) Base Lamp, 60W Maximum



65789 Cava II
 LED Wall Fixture
 Matte Black Finish
 Bubble Glass
 Height: 8.75" Width: 5.75" Extends: 2.50"
 Height from Center of Outlet Box: 4.33"
 Back Plate: H: 8.75" W: 5.75"
 Includes 10.5 Watt Integrated LED



65792 Matthew
 Dimmable LED Wall Fixture
 Nickel Luster Finish
 Frosted Waffle Glass
 Height: 11.00" Width: 6.00" Extends: 3.25"
 Height from Center of Outlet Box: 5.50"
 Back Plate: H: 10.24" W: 4.72"
 Includes 15 Watt Integrated LED



65803 Rosa
 Wall Fixture
 Textured Black Finish
 Clear Ribbed Glass
 Height: 14.00" Width: 6.75" Extends: 8.25"
 Height from Center of Outlet Box: 7.25"
 Back Plate: H: 13.39" W: 4.72"
 Use (1) Medium (E26) Base Lamp, 60W Maximum



63490 Cava II
 LED Wall Fixture
 Brushed Nickel Finish
 Bubble Glass
 Height: 8.75" Width: 5.75" Extends: 2.50"
 Height from Center of Outlet Box: 4.33"
 Back Plate: H: 8.66" W: 5.71"
 Includes 10.5 Watt Integrated LED



65805 Fells Point
 Wall Fixture
 Textured Black Finish
 Clear Seeded Glass
 Height: 18.00" Width: 10.25" Extends: 11.50"
 Height from Center of Outlet Box: 6.75"
 Back Plate: D: 6.38"
 Use (1) Medium (E26) Base Lamp, 60W Maximum



65801 Wrightsville
 Wall Fixture
 Oil Brushed Bronze Finish
 Clear Raindrop Glass
 Height: 11.00" Width: 6.00" Extends: 5.50"
 Height from Center of Outlet Box: 5.50"
 Back Plate: H: 11.00" W: 5.00"
 Use (1) Medium (E26) Base Lamp, 60W Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65789	*	10.5	60	3000 (Warm White)	1000	80	25000	22.8	\$1.26
63490	*	10.5	60	3000 (Warm White)	1000	80	25000	22.8	\$1.26
65792	*	15	75	2700 (Warm White)	1350	80	35000	31.9	\$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
 * Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65796 Jamestown**

Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 11.75" Width: 5.50" Extends: 7.75"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.72"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65795 Jamestown**

Wall Fixture
Textured Black and Oil Brushed Bronze Finish
Clear Seeded Glass

Height: 11.75" Width: 5.50" Extends: 7.75"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.72"

Use (1) Medium (E26) Base Lamp, 60W Maximum



• **61134 Courtland Grove**

Wall Fixture
Matte Black and Antique Pewter Finish
Clear Hammered Glass

Height: 13.75" Width: 6.50" Extends: 6.00"
Height from Center of Outlet Box: 2.50"
Back Plate: D: 4.92"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61146 Mosley**

Wall Fixture
Textured Black Finish
Clear Crackle Glass

Height: 11.75" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 9.25"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61144 Galtero**

Wall Fixture
Matte Black and Distressed Aluminum Finish
White Frosted Glass

Height: 15.00" Width: 6.00" Extends: 6.00"
Height from Center of Outlet Box: 2.95"
Back Plate: H: 5.91" W: 4.72"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63124 Albright**

Wall Fixture
Textured Black Finish
Amber Frosted and Clear Seeded Glass

Height: 14.00" Width: 7.00" Extends: 8.25"
Height from Center of Outlet Box: 4.25"
Back Plate: H: 4.46" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61135 Isabelle**

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 16.75" Width: 7.50" Extends: 8.75"
Height from Center of Outlet Box: 5.50"
Back Plate: D: 6.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61141 Sargut**

Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 12.75" Width: 7.00" Extends: 9.50"
Height from Center of Outlet Box: 3.15"
Back Plate: H: 7.50" W: 4.88"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63491 Brynn**

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 14.50" Width: 8.25" Extends: 9.25"
Height from Center of Outlet Box: 5.43"
Back Plate: D: 5.62"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63399 Brynn**

Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 12.25" Diameter: 8.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63470 Brynn**

Post Top Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 14.75" Diameter: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 61124 Canyon

Wall Fixture
Textured Black and Antique Ash Finish
Clear Seeded Glass

Height: 12.25" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.24"
Back Plate: H: 7.40" W: 4.56"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63351 Canyon

Wall Fixture
Textured Black and Barnwood Finish
Clear Glass

Height: 12.25" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.24"
Back Plate: H: 7.40" W: 4.56"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 65788 Canyon

Post Top Fixture
Textured Black and Barnwood Finish
Clear Glass

Height: 18.50" Diameter: 9.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63588 Armin

Wall Fixture
Textured Black Finish with Barnwood Accents
Clear Seeded Glass

Height: 15.50" Width: 7.50" Extends: 9.00"
Height from Center of Outlet Box: 5.24"
Back Plate: D: 5.43"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 61138 Rezner

Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"
Height from Center of Outlet Box: 5.24"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 65791 Barkley

Dimmable LED Wall Fixture
Matte Black Finish
Frosted Glass

Height: 12.00" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 2.20"
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63478 Barkley

LED Wall Fixture
Galvanized Steel Finish
Clear Seeded Glass

Height: 12.00" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 2.20"
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• 63577 Rezner

Wall Fixture
Galvanized Steel Finish
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
65791	*	13	60	2700 (Warm White)	1000	80	25000	22.8	\$1.57
63478	*	13	60	2700 (Warm White)	1000	80	25000	22.8	\$1.57

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **65800 Ferry**
Wall Fixture
Matte Black Finish
Frosted Glass

Height: 17.00" Width: 8.25" Extends: 10.50"
Height from Center of Outlet Box: 9.75"
Back Plate: H: 9.44" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63479 Ferry**
Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 17.00" Width: 8.25" Extends: 10.50"
Height from Center of Outlet Box: 9.65"
Back Plate: H: 9.44" W: 5.51"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR
OUTDOOR
DAMP RATED



61143 Wyndham
12 in. 2 Light Flush
Textured Black Finish
Clear Seeded Glass

Height: 5.50" Square: 12.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61125 Kellen**
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 13.75" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 7.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63352 Kellen**
Wall Fixture
Antique Brass Finish
Clear Seeded Glass

Height: 13.75" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 7.00"

Use (1) Medium (E26) Base Lamp, 60W Maximum



61142 Ashdale
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 15.00" Width: 8.00" Extends: 8.50"
Height from Center of Outlet Box: 2.80"
Back Plate: H: 5.59" W: 5.31"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63575 Aurelie
Wall Fixture
Nickel Luster Finish
Clear Waffle Glass

Height: 14.75" Width: 7.25" Extends: 8.25"
Height from Center of Outlet Box: 4.88"
Back Plate: D: 5.98"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61127 Aurelie
Wall Fixture
Textured Black Finish
Clear Waffle Glass

Height: 14.75" Width: 7.25" Extends: 8.25"
Height from Center of Outlet Box: 4.88"
Back Plate: D: 5.98"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61128 Aurelie
Pendant
Textured Black Finish
Clear Waffle Glass

Height: 13.75" Square: 7.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR
OUTDOOR
DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61130 Emma Jane**
7 in. 1 Light Semi-Flush
Amber Bronze Finish
Clear Seeded Glass

Height: 9.25" Diameter: 6.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **62040 Emma Jane**
Wall Fixture

Amber Bronze Finish with Highlights
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 5.43"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63610 Emma Jane**
Wall Fixture

Washed Copper Finish
Clear Seeded Glass

Height: 10.00" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 5.43"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61131 Crestview**

5 in. 1 Light Semi-Flush
Textured Black Finish
Clear Seeded Glass

Height: 12.25" Diameter: 5.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63348 Crestview**

Pendant
Textured Black Finish
Clear Seeded Glass

Height: 13.50" Diameter: 5.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63347 Crestview**

Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 12.25" Width: 5.50" Extends: 9.75"
Height from Center of Outlet Box: 6.54"
Back Plate: H: 9.06" W: 5.39"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62042 Santa Fe

Wall Fixture
Weathered Bronze Finish
Frosted Glass

Height: 11.25" Width: 7.75" Extends: 9.75"
Height from Center of Outlet Box: 4.72"
Back Plate: H: 5.98" W: 4.49"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63731 Santa Fe**

Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 13.75" Width: 9.25" Extends: 11.50"
Height from Center of Outlet Box: 5.75"
Back Plate: H: 6.75" W: 4.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65783 Scholar**

9 in. 1 Light Semi-Flush
Textured Black Finish
White Opal Glass

Height: 10.50" Diameter: 9.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63137 Eddystone

Wall Fixture with Dusk to Dawn Sensor
Oil Rubbed Bronze Finish
Clear Diamond Cut Glass

Height: 9.50" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 4.65"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63143 Eddystone

Wall Fixture
Textured Black Finish
White Opal Glass

Height: 8.25" Width: 6.00" Extends: 8.75"
Height from Center of Outlet Box: 4.65"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63131 Delmont

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Water Glass

Height: 13.25" Width: 10.00" Extends: 12.25"
Height from Center of Outlet Box: 5.83"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63135 Delmont**

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 14.25" Width: 10.00" Extends: 12.25"
Height from Center of Outlet Box: 5.83"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62301 Weatherby

Wall Fixture
Weathered Bronze Finish
Clear Glass

Height: 12.75" Width: 6.00" Extends: 7.50"
Height from Center of Outlet Box: 7.25"
Back Plate: H: 7.88" W: 4.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR
DAMP RATED



61126 Weatherby

14 in. 2 Light Flush
Barnwood Finish
Clear Glass

Height: 7.25" Diameter: 14.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63593 Cardinal

Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 17.25" Square: 7.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61133 Weatherby

Post-Top Fixture
Weathered Bronze Finish
Clear Glass

Height: 18.50" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR
DAMP RATED



63595 Weatherby

14 in. 2 Light Flush
Weathered Bronze Finish
Clear Glass

Height: 7.25" Diameter: 14.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INDOOR OUTDOOR
DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65781 Meadowbrook

13 in. 2 Light Flush
Matte Black Finish
Frosted Glass

Height: 5.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63394 Grandview

Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR OUTDOOR
DAMP RATED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63393 Grandview

Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 17.00" Width: 7.25" Extends: 10.00"
Height from Center of Outlet Box: 7.91"
Back Plate: D: 6.49"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR OUTDOOR
DAMP RATED



62309 Naveen

13 in. 2 Light Flush
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 6.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65785 Grandview

Pendant
Matte Black Finish
Frosted Glass

Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63391 Valley Forge
 3 Light Pendant
 Matte Black Finish with Washed Copper Accents
 Clear Seeded Glass
 Height: 18.50" Square: 12.00" Chain: 36" Cord: 60"
 Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE

63606 Stella Mira
 3 Light Chandelier
 Oil Rubbed Bronze Finish with Highlights
 Clear Glass Candle Covers
 Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"
 Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE

63390 Stella Mira
 6 Light Chandelier
 Oil Rubbed Bronze with Highlights
 Clear Glass Candle Covers
 Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"
 Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



67328 Burnham
 Wall Fixture
 Oil Rubbed Bronze Finish
 Honey Art Glass
 Height: 12.50" Width: 6.00" Extends: 9.00"
 Height from Center of Outlet Box: 2.50"
 Back Plate: H: 5.00" W: 5.00"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE

62038 Clarissa
 Wall Fixture
 Textured Black Finish
 Frosted Glass
 Height: 11.25" Width: 7.00" Extends: 8.75"
 Height from Center of Outlet Box: 3.15"
 Back Plate: H: 6.30" W: 4.57"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED
 DUSK TO DAWN



FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE

63611 Clarissa LED
 Dimmable LED Wall Fixture
 with Dusk to Dawn Sensor
 Textured Black Finish
 Frosted Glass
 Height: 11.25" Width: 7.00" Extends: 8.75"
 Height from Center of Outlet Box: 3.15"
 Back Plate: H: 6.30" W: 4.57"
 Includes 12.5 Watt Integrated LED



FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE

63150 Glenwillow
 Wall Fixture
 Victorian Bronze Finish
 Amber Frosted Glass
 Height: 10.75" Width: 5.50" Extends: 7.00"
 Height from Center of Outlet Box: 3.50"
 Back Plate: H: 6.97" W: 4.33"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
 COORDINATING ITEMS AVAILABLE

63120 Glenwillow
 LED Wall Fixture
 Victorian Bronze Finish
 Clear Seeded Glass
 Height: 10.75" Width: 5.50" Extends: 7.00"
 Height from Center of Outlet Box: 3.50"
 Back Plate: H: 6.97" W: 4.33"
 Includes 8.5 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63611	*	12.5	60	2700 (Warm White)	1050	80	20000	18.2	\$1.51
63120	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	\$1.02

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
 * Integrated LED Light Source

**Based on operating 3hrs./day



61129 Watts Creek
 11 in. 1 Light Semi-Flush
 Textured Black Finish
 Height: 6.50" Diameter: 11.00"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63609 Watts Creek
 Wall Fixture
 Galvanized Steel Finish
 Height: 11.00" Width: 11.00" Extends: 12.50"
 Height from Center of Outlet Box: 6.14"
 Back Plate: D: 5.71"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63596 Academy
 Dimmable LED Wall Fixture with Dusk to Dawn Sensor
 Textured Black Finish
 Removable Nickel Luster Cage
 Height: 11.00" Width: 12.25" Extends: 15.25"
 Height from Center of Outlet Box: 4.13"
 Back Plate: D: 5.00"
 Includes 13 Watt Integrated LED



62044 Watts Creek
 Wall Fixture
 Textured Black Finish
 Height: 11.00" Width: 11.00" Extends: 12.50"
 Height from Center of Outlet Box: 6.14"
 Back Plate: D: 5.71"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63608 Watts Creek
 Wall Fixture
 Textured Black Finish
 Height: 14.75" Width: 15.00" Extends: 17.00"
 Height from Center of Outlet Box: 8.27"
 Back Plate: D: 6.69"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63598 Academy
 Dimmable LED Wall Fixture
 Textured Black Finish
 Removable Nickel Luster Cage
 Height: 14.50" Width: 16.00" Extends: 19.25"
 Height from Center of Outlet Box: 5.08"
 Back Plate: D: 5.00"
 Includes 20 Watt Integrated LED



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63596	*	13	75	3000 (Warm White)	1300	80	50000	45.6	\$1.57
63598	*	20	125	3000 (Warm White)	2200	80	25000	22.8	\$2.41

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
 * Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



62041 Darcy
LED Wall Fixture
Victorian Bronze Finish
Amber Frosted Glass

Height: 12.00" Width: 7.00" Extends: 8.00"
Height from Center of Outlet Box: 2.36"
Back Plate: D: 4.53"

Includes 8.5 Watt Integrated LED

INTEGRATED DIMMABLE LED



62034 Orson
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 9.50" Width: 8.75" Extends: 10.00"
Height from Center of Outlet Box: 4.21"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



62046 Orson
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 11.50" Width: 10.75" Extends: 11.50"
Height from Center of Outlet Box: 5.08"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62043 Roosevelt
Wall Fixture
Amber Bronze Finish with Highlights

Height: 9.50" Width: 7.50" Extends: 8.75"
Height from Center of Outlet Box: 3.11"
Back Plate: D: 4.88"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED



61132 Orson
9 in. 1 Light Semi-Flush
Textured Black Finish
Frosted Prismatic Lens

Height: 7.75" Diameter: 8.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED LED



64003
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Clear Crackle Glass

Height: 9.75" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
62041	*	8.5	40	2700 (Warm White)	748	80	20000	18.2	\$1.02
62034	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
62046	*	9	40	2700 (Warm White)	640	80	20000	18.2	\$1.08
64003	*	9	60	3000 (Warm White)	800	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INDOOR OUTDOOR
DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

INDOOR OUTDOOR
DAMP RATED

66741 Senecaville

Wall Fixture
Weathered Bronze Finish
White Alabaster Glass

Height: 13.25" Width: 6.50" Extends: 8.00"
Height from Center of Outlet Box: 5.25"
Back Plate: H: 6.13" W: 5.25"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66746 Senecaville

12 in. 2 Light Flush
Weathered Bronze Finish
White Alabaster Glass

Height: 6.00" Diameter: 12.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



62303 Bonneville

13 in. 2 Light Flush
Weathered Bronze Finish
Frosted Glass

Height: 5.75" Diameter: 12.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

65784 Orwell

11 in. 2 Light Flush
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 4.50" Square: 11.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62048 Orwell

11 in. 2 Light Flush
Textured Black Finish
Frosted Seeded Glass

Height: 4.50" Square: 11.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

DUSK
TO DAWN



62045 Caliste

Wall Fixture with Dusk to Dawn Sensor
Textured Black Finish
Clear Water Glass

Height: 10.00" Width: 6.00" Extends: 7.75"
Height from Center of Outlet Box: 4.00"
Back Plate: H: 8.00" W: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE
LED



64000

Dimmable LED Wall Fixture
Weathered Patina Finish
Clear Seeded Glass

Height: 12.25" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE
LED



64002

Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 14.75" Width: 6.25" Extends: 8.75"
Height from Center of Outlet Box: 9.06"
Back Plate: H: 7.88" W: 4.50"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**
64000	*	9	60	3000 (Warm White)	900	80	35000	31.9	\$1.08
64002	*	9	40	3000 (Warm White)	550	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR WE RATED
All outdoor fixtures in this section are wet rated unless otherwise noted.

INTEGRATED DIMMABLE LED



64001
Dimmable LED Wall Fixture
Black Finish
Clear Seeded Glass
Height: 11.00" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"
Includes 9 Watt Integrated LED



67831
Wall Fixture
Textured Black Finish
Clear Beveled Glass Panels
Height: 12.00" Width: 6.50" Extends: 7.75"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.75" W: 4.38"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



62306 New Haven
Wall Fixture
Oil Rubbed Bronze Finish
Clear Seeded Glass
Height: 13.75" Width: 6.50" Extends: 8.75"
Height from Center of Outlet Box: 4.88"
Back Plate: H: 6.88" W: 4.50"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



64688
Wall Fixture
Antique Silver Finish
Clear Curved Glass Panels
Height: 7.75" Width: 6.00" Extends: 6.50"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.50"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62307 Parkville
Wall Fixture
Oil Rubbed Bronze Finish
White Alabaster Glass
Height: 11.00" Width: 6.25" Extends: 8.25"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.75"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66898
Wall Fixture
Textured Black Finish
White Acrylic Lens
Height: 10.00" Width: 7.75" Extends: 4.25"
Height from Center of Outlet Box: 4.25"
Back Plate: H: 9.38" W: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



64684
Wall Fixture
Antique Silver Finish
Clear Glass Panels
Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66972
Wall Fixture
Textured Black Finish
Clear Glass Panels
Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"
Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

INTEGRATED DIMMABLE LED



61075
Dimmable LED Wall Fixture
Textured Black Finish
Frosted Glass
Height: 8.50" Width: 4.50" Extends: 6.00"
Height from Center of Outlet Box: 2.63"
Back Plate: D: 4.53"
Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64001	*	9	60	3000 (Warm White)	900	80	35000	31.9	\$1.08
61075	*	9	60	3000 (Warm White)	800	80	35000	31.9	\$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on operating 3hrs./day



66924
Wall Fixture
Polished Brass Finish
Clear Curved Beveled Glass Panels

Height: 18.50" Width: 5.75" Extends: 6.00"
Height from Center of Outlet Box: 11.50"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66964
Wall Fixture
Polished Brass Finish
Clear Glass Panels

Height: 13.50" Width: 4.75" Extends: 5.75"
Height from Center of Outlet Box: 8.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66983
Wall Fixture
Matte Black Finish
Clear Glass Panels

Height: 13.50" Width: 4.75" Extends: 5.75"
Height from Center of Outlet Box: 8.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66853
Wall Fixture
Polished Brass Finish
Clear Beveled Glass Panels

Height: 12.00" Width: 7.00" Extends: 7.00"
Height from Center of Outlet Box: 2.75"
Back Plate: H: 5.50" W: 4.75"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



67834
Wall Fixture
Textured White Finish
Clear Beveled Glass

Height: 12.00" Width: 6.50" Extends: 7.75"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.75" W: 4.38"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66971
Wall Fixture
White Finish
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



61069
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
Oil Rubbed Bronze Finish
Clear Ribbed Glass

Height: 7.50" Width: 4.50" Extends: 6.00"
Height from Center of Outlet Box: 2.36"
Back Plate: D: 4.41"

Includes 6 Watt Integrated LED



61068
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
White Finish
Frosted Opal Glass

Height: 6.75" Width: 5.00" Extends: 5.50"
Height from Center of Outlet Box: 2.90"
Back Plate: H: 5.08" W: 4.96"

Includes 8 Watt Integrated LED



61067
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
Black Finish
Frosted Opal Glass

Height: 6.75" Width: 5.00" Extends: 5.50"
Height from Center of Outlet Box: 2.90"
Back Plate: H: 5.08" W: 4.96"

Includes 8 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61069	*	6	40	3000 (Warm White)	600	80	25000	22.8	\$0.72
61068	*	8	40	3000 (Warm White)	620	80	35000	31.9	\$0.96
61067	*	8	40	3000 (Warm White)	620	80	35000	31.9	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

**Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR WEATHERED
All outdoor fixtures in this section are wet rated unless otherwise noted.

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY

ADA COMPLIANT



65790 Winslett
Dimmable LED Wall Fixture
Textured Black Finish
Frosted Glass

Height: 6.25" Width: 6.25" Extends: 3.50"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 6.25"

Includes 12 Watt Integrated LED

INTEGRATED LED

MOTION ACTIVATED

DUSK TO DAWN



63643
2 Light LED Security Light Wall Fixture with Motion Sensor
Bronze Finish
Acrylic Lens

Height: 8.75" Width: 9.75" Extends: 5.25"
Height from Center of Outlet Box: 6.30"
Back Plate: D: 5.16"

Includes (2) x 9 Watt Integrated LEDs

INTEGRATED LED

MOTION ACTIVATED

DUSK TO DAWN



63642
2 Light LED Security Light Wall Fixture with Motion Sensor
White Finish
Acrylic Lens

Height: 8.75" Width: 9.75" Extends: 5.25"
Height from Center of Outlet Box: 6.30"
Back Plate: D: 5.16"

Includes (2) x 9 Watt Integrated LEDs

INTEGRATED DIMMABLE LED

ADA COMPLIANT



61140
Dimmable LED Wall Fixture
Textured Black Finish
White Glass

Diameter: 7.75" Extends: 4.00"
Back Plate: D: 7.75"

Includes 12 Watt Integrated LED

INTEGRATED DIMMABLE LED

ADA COMPLIANT



61139
Dimmable LED Wall Fixture
Textured White Finish
White Glass

Diameter: 7.75" Extends: 4.00"
Back Plate: D: 7.75"

Includes 12 Watt Integrated LED

ADA COMPLIANT



67836
Wall Fixture
White Finish
White Glass Lens

Diameter: 7.75" Extends: 4.00"
Back Plate: D: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



61137
Dimmable LED Wall Fixture
Textured Black Finish
White Glass

Height: 5.00" Width: 8.25" Extends: 4.25"
Back Plate: H: 5.00" W: 8.25"

Includes 6 Watt Integrated LED

INTEGRATED DIMMABLE LED



61136
Dimmable LED Wall Fixture
Textured White Finish
White Glass

Height: 5.00" Width: 8.25" Extends: 4.25"
Back Plate: H: 5.00" W: 8.25"

Includes 6 Watt Integrated LED

INTEGRATED DIMMABLE LED



67835
Wall Fixture
White Finish
White Glass Lens

Height: 5.00" Width: 8.25" Extends: 4.25"
Back Plate: H: 5.00" W: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
65790	*	12	40	3000 (Warm White)	700	80	25000	22.8	\$1.45
63643	*	18	100	4000 (Cool White)	1900	80	50000	45.6	\$2.17
63642	*	18	100	4000 (Cool White)	1900	80	50000	45.6	\$2.17
61140	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61139	*	12	75	3000 (Warm White)	1100	80	50000	45.6	\$1.45
61137	*	6	40	3000 (Warm White)	680	80	50000	45.6	\$0.72
61136	*	6	40	3000 (Warm White)	680	80	50000	45.6	\$0.72

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

†Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66946
 Polycarbonate Wall Fixture with Removable Tail
 White Finish
 Clear Textured Acrylic

Height with Tail: 17.00" Height without Tail: 13.00"
 Square: 8.00" Extends: 8.50"
 Height from Center of Outlet Box: 10.75"
 Back Plate: H: 4.63" W: 4.63"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66803
 Polycarbonate Wall Fixture
 Black Finish
 White Glass Globe

Height: 7.25" Diameter: 6.00" Extends: 7.00"
 Height from Center of Outlet Box: 2.50"
 Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66818
 5 in. 1 Light Flush
 Antique Brass Finish
 Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66878
 Wall Fixture
 White Finish
 Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
 Height from Center of Outlet Box: 2.00"
 Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66949
 Polycarbonate Wall Fixture
 with Dusk to Dawn Sensor
 Black Finish
 Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"
 Height from Center of Outlet Box: 2.50"
 Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66919
 5 in. 1 Light Flush
 Matte Black Finish
 Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66885
 Wall Fixture
 Matte Black Finish
 Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
 Height from Center of Outlet Box: 2.00"
 Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66882
 Wall Fixture
 Oil Rubbed Bronze Finish
 Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
 Height from Center of Outlet Box: 2.00"
 Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66800
 Polypropylene Wall Fixture
 Black Finish
 Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"
 Height from Center of Outlet Box: 2.50"
 Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66822
 8 in. 1 Light Polypropylene Flush
 Black Finish
 Frosted Glass Panels
 Height: 4.75" Square: 8.25"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66975
 8 in. 1 Light Polypropylene Flush
 White Finish
 Frosted Glass Panels
 Height: 4.75" Square: 8.25"
 Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66861
 Polycarbonate Post Top Fixture
 Black Finish
 White Acrylic Globe
 Height: 13.00" Diameter: 12.00"
 Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66823
 10 in. 2 Light Polypropylene Flush
 Black Finish
 Frosted Glass Panels
 Height: 5.50" Square: 10.25"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum




66976
 10 in. 2 Light Polypropylene Flush
 White Finish
 Frosted Glass Panels
 Height: 5.50" Square: 10.25"
 Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

**DUSK
 TO DAWN**



66955
 Fixture Post with Ground Convenience Outlet
 Dusk to Dawn Sensor
 Black Finish
 Height: 84.00" Width: 3.00"
 (Includes ladder rest)



67901
 Pedestal Mount for Post Top Fixture
 Textured Black Finish
 Height: 3.00" Square: 5.75"
 (Designed for use with post top lanterns that fit a 3" diameter post.
 Not intended to be used with a lantern post.)



66991
 Ladder Rest
 Black Finish with Brass Accents
 Height: 1.50" Width: 15.75"



66808
 Fixture Post
 Black Finish
 Height: 84.00" Width: 3.00"
 (Includes ladder rest)

PICTURE LIGHTS

Picture lights amplify the natural beauty of treasured artwork and photographs.

INTEGRATED LED **PLUG-IN Design**



75007
7 in. 2W Adjustable LED Picture Light
Antique Brass Finish, 3000K

Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED

INTEGRATED LED **PLUG-IN Design**



75008
7 in. 2W Adjustable LED Picture Light
Brushed Nickel Finish, 3000K

Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED

INTEGRATED LED **PLUG-IN Design**



75009
7 in. 2W Adjustable LED Picture Light
Oil Rubbed Bronze Finish, 3000K

Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"
Includes 2 Watt Integrated LED

INTEGRATED LED **PLUG-IN Design**



75013
14 in. 4W Adjustable LED Picture Light
with Decorative Hinge
Antique Brass Finish, 3000K

Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

INTEGRATED LED **PLUG-IN Design**



75011
14 in. 4W Adjustable LED Picture Light
Brushed Nickel Finish, 3000K

Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

INTEGRATED DIMMABLE LED **HARDWIRE Design**



75014
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light
Antique Brass Finish, 3000K

Height: 7.25" Width: 17.00"
Extends: 8.75"
Includes 15 Watt Integrated Dimmable LED

INTEGRATED DIMMABLE LED **HARDWIRE Design**



75015
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light
Brushed Nickel Finish, 3000K

Height: 7.25" Width: 17.00"
Extends: 8.75"
Includes 15 Watt Integrated Dimmable LED

INTEGRATED DIMMABLE LED **HARDWIRE Design**



75016
17 in. 15W Hardwire Adjustable Dimmable LED Picture Light
Matte Black Finish, 3000K

Height: 7.25" Width: 17.00"
Extends: 8.75"
Includes 15 Watt Integrated Dimmable LED

INTEGRATED LED **PLUG-IN Design**



75012
14 in. 4W Adjustable LED Picture Light
Oil Rubbed Bronze Finish, 3000K

Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED

All plug-in picture lights include:

- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
75007	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75008	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75009	*	2	40	3000 (Warm White)	100	90	35000	31.9	\$0.24
75011	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75014	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75015	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75016	*	15	40	3000 (Warm White)	794	90	35000	31.9	\$1.81
75012	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48
75013	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



75004
14" LED Picture Light
Brushed Nickel Finish
Height: 3.25" Width: 14.75"
Extends: 6.00"
Adjustable Cord: 96"
Includes 4 Watt Integrated LED



75052
7" Picture Light
Antique Brass Finish
Height: 4.00" Width: 7.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (1) T6, 15 Watt Frost Lamp
(WL Lamp #03723)



75053
14" Picture Light
Antique Brass Finish
Height: 4.00" Width: 14.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (2) T6, 15 Watt Frost Lamps
(WL Lamp #03723)



75051
14" Picture Light
Polished Brass Finish
Height: 4.00" Width: 14.50"
Extends: 6.00"
Adjustable Cord: 96"
Includes (2) T6, 15 Watt Frost Lamps
(WL Lamp #03723)

All plug-in picture lights include:

- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
75004	*	4	40	3000 (Warm White)	206	90	35000	31.9	\$0.48

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

52" AND ABOVE CEILING FANS

Incorporating modern-day enhancements in design and technology, this selection of ceiling fans, size 52" and above, ensures maximum performance, decorative appeal, and year-round comfort in larger rooms.

New!

DIMMABLE LED



FAN FAMILY
COORDINATING ITEMS AVAILABLE



74002B Cayuga
60 in. Black-Bronze Finish
Reversible Blades (Applewood/Cherry)
Frosted Opal Glass
Smart WiFi Technology

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)
Remote Control Included

New!

DIMMABLE LED



FAN FAMILY
COORDINATING ITEMS AVAILABLE



74003B Cayuga
60 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Opal Glass
Smart WiFi Technology

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)
Remote Control Included

New!

DIMMABLE LED



74005B Porto
52 in. Black-Bronze Finish
Reversible Blades (Dark Walnut/Wengue)
Amber Frosted Glass
Smart WiFi Technology

Includes (1) Medium (E26) Base, 9 Watt Omni LED Lamp (WL Lamp #51331)
Remote Control Included

New!

DIMMABLE LED



73048 Scholar
52 in. Matte Black Finish
Reversible Blades (Weathered Oak/Walnut) Clear Glass

Includes (1) Medium (E26) Base, 6.5 Watt A19 Filament LED Lamp (WL Lamp #53165)
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
74002B [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
74003B [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
74005B [†]	1	9	60	3000 (Warm White)	800	80	25000	22.8	\$1.08
73048 [†]	1	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

New! **LED** **FAN FAMILY**
COORDINATING ITEMS AVAILABLE

73057 Stella Mira
52 in. Brushed Nickel Finish
Reversible Blades (Wengue/Rustic Birch)
Cage Shade
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included

LED **FAN FAMILY**
COORDINATING ITEMS AVAILABLE

72171 Stella Mira
52 in. Oil Rubbed Bronze Finish with Highlights
Reversible Blades (Applewood with Shaded Edge/Catalpa Wood)
Cage Shade
Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included

New! **LED** **FAN FAMILY**
COORDINATING ITEMS AVAILABLE

73053 Alta Vista
52 in. Gun Metal Finish
Reversible Blades (Charcoal/Black)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

New! **LED** **FAN FAMILY**
COORDINATING ITEMS AVAILABLE

73049 Brinley
52 in. Brushed Nickel Finish
Reversible Blades (Silver/Gray Teak)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)
Pull Chains Included

LED **FAN FAMILY**
COORDINATING ITEMS AVAILABLE

72059 Alta Vista
52 in. Matte Black Finish
Reversible Blades (Black/Bleached Cherry)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

LED **FAN FAMILY**
COORDINATING ITEMS AVAILABLE

72257 Alta Vista
52 in. Brushed Nickel Finish
Reversible Blades (Graphite/Light Maple)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
73057 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72171 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
73053	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
73049 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72059	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93
72257	*	16	75	3000 (Warm White)	1300	90	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72173 Damen
68 in. Nickel Luster Finish
Reversible Blades (Mahogany/Wengue)
Remote Control Included



72250 Willa
60 in. Brushed Nickel Finish
Reversible Blades (Wengue/Beech)
Frosted Glass and Cage Shade
Includes 16 Watt Integrated LED
Remote Control Included



72077 Cayuga
60 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #05161)
Remote Control Included



72078 Cayuga
60 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #05161)
Remote Control Included



72046 Zephyr
56 in. Brushed Nickel Finish
Reversible Blades (Rich Walnut/Maple)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #05161)
Remote Control Included



72051 Alloy II
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #33199)
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72250	*	16	100	3000 (Warm White)	1680	80	25000	22.8	\$1.93
72077 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72078 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72046 [†]	2	8	60	3000 (Warm White)	800	80	25000	22.8	\$0.96
72051 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



72259 Morris
 52 in. Iron Finish
 Riverbed Blades
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Remote Control Included



72270 Evan
 52 in. Matte Black Finish
 Walnut ABS Blades
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Remote Control Included



72091 Castle LED
 52 in. Brushed Nickel Finish
 Reversible Blades (Weathered Maple/Beech)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
 (WL Lamp #33199)
 Pull Chains Included



72074 Desoto
 52 in. Oil Rubbed Bronze Finish
 Reversible Blades (Mahogany/Cherry)
 Opal Frosted Glass
 Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
 (WL Lamp #33199)
 Pull Chains Included



72231 Xavier II
 52 in. Brushed Nickel Finish
 with Gun Metal Accents
 Reversible Blades (Graphite/Weathered Maple)
 Spot Lights
 Includes (3) GU10 Base, 6.5 Watt MR16 LED Lamps
 (WL Lamp #53032)
 Pull Chains Included



72204 Chambers
 60 in. Distressed Aluminum Finish
 Reversible Blades (Autumn Walnut/Wengue)
 Opal Frosted Glass and Removable Cage
 Includes 24 Watt Integrated LED
 Remote Control Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72259	*	16	75	3000 (Warm White)	1400	90	25000	22.8	\$1.93
72270	*	16	75	3000 (Warm White)	1180	90	25000	22.8	\$1.93
72091 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72074 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72231 [†]	3	6.5	50	3000 (Warm White)	500	80	25000	22.8	\$0.78
72204	*	24	100	3000 (Warm White)	1607	90	25000	22.8	\$2.89

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



*** 72248 Widespan**
100 in. Matte Black Finish
Black Blades
Remote Control Included



*** 72249 Widespan**
100 in. Brushed Nickel Finish
Aluminum Blades
Remote Control Included



***CAUTION!** All Westinghouse 100 in. industrial ceiling fans must be installed with blades at least 10 feet from the floor.



72042 Techno II
72 in. Black Finish
Black ABS Blades
Opal Frosted Glass
Includes 17.5 Watt Integrated LED
Remote Control Included



72039 Techno II
72 in. Titanium Finish
Titanium ABS Blades
Opal Frosted Glass
Includes 17.5 Watt Integrated LED
Remote Control Included



72255 Julien
54 in. Brushed Nickel Finish
Clear Acrylic Blades
Remote Control Included



72264 Madeline
56 in. White Finish
White Blades
Opal Frosted Glass
Includes 24 Watt Integrated LED
Remote Control Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
72042	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11
72039	*	17.5	100	3000 (Warm White)	1685	80	25000	22.8	\$2.11
72264	*	24	100	3000 (Warm White)	1814	90	25000	22.8	\$2.89

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



FAN FAMILY
COORDINATING ITEMS AVAILABLE

78003 Jax
56 in. Brushed Nickel Finish
Black Steel Blades
Wall Control Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

72381 Jax
56 in. Brushed Nickel Finish
Brushed Nickel Steel Blades
Remote Control Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

78614 Jax
56 in. Brushed Nickel Finish
Brushed Nickel Steel Blades
Wall Control Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

72379 Jax
56 in. White Finish
White Steel Blades
Remote Control Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

78127 Jax
56 in. White Finish
White Steel Blades
Wall Control Included



J-Hook
Installation System

FAN FAMILY
COORDINATING ITEMS AVAILABLE

78409 Jax
56 in. White Finish
White Steel Blades
J Hook Installation System
Wall Control Included



New!

FAN FAMILY
COORDINATING ITEMS AVAILABLE



73056 Thurlow
54 in. Industrial Steel Finish
Reversible Blades (Black/Pewter Ash)
Pull Chains Included

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72076 Thurlow
54 in. Weathered Bronze Finish
Reversible Blades (Driftwood/Reclaimed Hickory)
Pull Chains Included

LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72053 Alloy LED
52 in. Gun Metal Finish
Reversible Blades (Black/Applewood)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #33199)
Pull Chains Included

LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72090 Alloy LED
52 in. Brushed Nickel Finish
Reversible Blades (Beech/Wengue)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #33199)
Pull Chains Included

DIMMABLE
LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72206 Kelcie
52 in. Brushed Nickel Finish
Reversible Blades (Silver/Graphite)
Crystal Jewel Shade
Includes (2) Medium (E26) Base, 6.5 Watt Filament A19 LED Lamps
(WL Lamp #43165)
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** [†]
72053 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72090 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72206 [†]	2	6.5	60	2700 (Warm White)	810	80	15000	13.6	\$0.78

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

New!

DIMMABLE
LED



73054 Comet

52 in. Brushed Nickel Finish
Reversible Blades (Charcoal/Wengue)
Frosted Glass
Includes (2) Candelabra (E12) Base, 5.5 Watt
G 16-1/2 LED Lamps
Pull Chains Included



New!

DIMMABLE
LED



73055 Comet

52 in. White Finish
Reversible Blades (Rustic Birch/Graphite)
Frosted Glass
Includes (2) Candelabra (E12) Base, 5.5 Watt
G 16-1/2 LED Lamps
Pull Chains Included



INTEGRATED
DIMMABLE
LED

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



72242 Comet

52 in. Matte Black Finish
Reversible Blades (Black/Black Marble)
Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



INTEGRATED
DIMMABLE
LED

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



72336 Comet

52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



INTEGRATED
DIMMABLE
LED

FAN
FAMILY
COORDINATING
ITEMS AVAILABLE



72341 Comet

52 in. Brushed Pewter Finish
Reversible Blades (Light Maple/White)
Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
73054 [†]	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
73055 [†]	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72242	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72336	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93
72341	*	16	75	3000 (Warm White)	1135	80	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72359 Swirl
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Swirl Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72338 Vintage
52 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Clear Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72364 Vintage
52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72371 Vintage
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{**†}
72364 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72371 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72338 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72359 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{**}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



72096 Carolina LED
52 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
Amber Alabaster Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #33199)
Pull Chains Included



72349 Vintage II
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
White Alabaster Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps
(WL Lamp #50581)
Pull Chains Included



72306 Sumter
52 in. Classic Bronze Finish
Reversible Blades (Applewood with Shaded Edge/Dark Cherry)
Amber Alabaster Bowl

Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps
(WL Lamp #50581)
Pull Chains Included



72321 Contempra IV
52 in. Oil Rubbed Bronze Finish
Reversible Blades (Dark Cherry/Walnut)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



72322 Contempra IV
52 in. Antique Brass Finish
Reversible Blades (Oak/Walnut)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps
(WL Lamp #43168)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72349 [†]	2	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72306 [†]	2	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72096 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72322 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72321 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FAN FAMILY
COORDINATING ITEMS AVAILABLE

72320 Contempra IV
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Bird's Eye Maple)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



New!



73038 Contractor's Choice

52 in. Black Finish
Matte Black Blades
Pull Chains Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

72324 Contempra IV
52 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Clear Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



78024 Contractor's Choice

52 in. White Finish
White Blades
Pull Chains Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

72323 Contempra IV
52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** [†]
72320 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72324 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72323 [†]	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

42" TO 48" CEILING FANS

Capturing the essence of today's lifestyle trends, this collection of 42" to 48" ceiling fans offers distinctive styles to ensure a comfortable environment in medium-sized rooms.

Fan Performance Specifications can be found on Page 78-81.

New! **DIMMABLE LED**



74001B Barnett
48 in. Barnwood Finish
Reversible Blades (Reclaimed Hickory/Pewter Ash)
Cage Shade
Smart WiFi Technology

Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)
Remote Control Included

FAN FAMILY
COORDINATING ITEMS AVAILABLE

DIMMABLE LED



72205 Barnett
48 in. Barnwood Finish
Reversible Blades (Reclaimed Hickory/Pewter Ash)
Cage Shade

Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)
Remote Control Included

FAN FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED **DC MOTOR**



72258 Josef
48 in. Brushed Nickel Finish
Clear Acrylic Blades
Opal Frosted Glass

Includes 16 Watt Integrated LED
Remote Control Included

INTEGRATED DIMMABLE LED



72251 Carla
46 in. White Finish
White ABS Blades
Opal Frosted Glass

Includes 16 Watt Integrated LED
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
74001B [†]	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	\$0.54
72205 [†]	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	\$0.54
72258	*	16	75	3000 (Warm White)	1160	90	25000	22.8	\$1.93
72251	*	16	75	3000 (Warm White)	1190	80	25000	22.8	\$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

New!  **INTEGRATED DIMMABLE LED**



73052 Drake
48 in. Gun Metal Finish
Reversible Blades (Weathered Oak/Walnut)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

New!  **LED**

FAN FAMILY
COORDINATING ITEMS AVAILABLE



73051 Alloy
42 in. Brushed Nickel Finish
Reversible Blades (Weathered Oak/Walnut)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt
T7 LED Lamps (WL Lamp #33199)
Pull Chains Included

New!  **LED**

FAN FAMILY
COORDINATING ITEMS AVAILABLE



73050 Alloy
42 in. Matte Black Finish
Reversible Blades (Charcoal/Riverbed)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt
T7 LED Lamps (WL Lamp #33199)
Pull Chains Included

 **LED**

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72215 Alloy
42 in. Gun Metal Finish
Reversible Blades (Black/Graphite)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt
T7 LED Lamps (WL Lamp #33199)
Pull Chains Included

 **LED**

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72225 Alloy
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Walnut/Family Oak)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt
T7 LED Lamps (WL Lamp #33199)
Pull Chains Included

 **LED**

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72216 Alloy
42 in. Brushed Nickel Finish
Reversible Blades (Beech/Wengue)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt
T7 LED Lamps (WL Lamp #33199)
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{**†}
73052	*	16	75	3000 (Warm White)	1160	90	25000	22.8	\$1.93
73051 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
73050 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72215 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72225 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96
72216 [†]	2	8	60	3000 (Warm White)	800	80	15000	13.6	\$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



72230 Solana
48 in. Brushed Nickel Finish
Wengue Blades
Opal Frosted Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps (WL Lamp #50241)
Remote Control Included



72372 Arcadia
46 in. White Finish
Reversible Blades (Light Maple/White)
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included



72244 Arcadia
46 in. Brushed Nickel Finish
Reversible Blades (Beech/Weathered Maple)
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72230 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72244 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72372 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72319 Contempra Trio
42 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Bird's Eye Maple)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72313 Contempra Trio
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Dark Cherry/Walnut)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72304 Hadley
42 in. Brushed Nickel Finish
Reversible Blades (Dark Cherry/Rosewood)
White Alabaster Bowl

Includes (2) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamps
Pull Chains Included



72305 Hadley
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
White Alabaster Bowl

Includes (2) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamps
Pull Chains Included



72179 Halley
44 in. Brushed Nickel Finish
Reversible Blades (Weathered Maple/Dark Cherry)
Frosted Opal Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps
Remote Control Included



72354 Newtown
42 in. Brushed Nickel Finish
Reversible Blades (Light Maple/Bird's Eye Maple)
Water Glass Shades

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72375 Richboro SE
42 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted White Alabaster Glass

Includes (2) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamps (WL Lamp #50242)
Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.



72314 Contempra Trio
42 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
Pull Chains Included



72312 Casanova Supreme
42 in. White Finish
Reversible Blades (White/White Washed Pine)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)
Pull Chains Included



72309 Casanova Supreme
42 in. Antique Brass Finish
Reversible Blades (Oak/Walnut)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)
Pull Chains Included



72310 Casanova Supreme
42 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost ^{**†}
72319 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72313 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72304 [†]	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72305 [†]	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72179 [†]	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72354 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72375 [†]	2	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72314 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72309 [†]	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72310 [†]	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66
72312 [†]	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	\$0.66

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

24" TO 36" CEILING FANS

Featuring a wide range of décor-enhancing styles, this assortment of 24" to 36" down rod and hugger-mount ceiling fans offers decorative options to create complete comfort in smaller rooms.

INTEGRATED
DIMMABLE
LED



72303 Cassidy
36 in. Brushed Nickel Finish
Reversible Blades (Wengue/Silver)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Pull Chains Included

DIMMABLE
LED



FAN
FAMILY
COORDINATING
ITEMS AVAILABLE

72347 Turbo Swirl
30 in. Antique Brass Finish
Walnut Blades
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp
(WL Lamp #50242)
Pull Chains Included

DIMMABLE
LED



FAN
FAMILY
COORDINATING
ITEMS AVAILABLE

72240 Turbo Swirl
30 in. Brushed Aluminum Finish
Light Maple Blades
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamp
Pull Chains Included

DIMMABLE
LED



FAN
FAMILY
COORDINATING
ITEMS AVAILABLE

72344 Turbo Swirl
30 in. White Finish
White Blades
Opal Frosted Glass
Includes (1) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamp
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
72303	*	16	75	3000 (Warm White)	1173	80	25000	22.8	\$1.93
72347 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72240 [†]	1	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66
72344 [†]	1	5.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.66

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



72330 Wengue
 30 in. Espresso Finish
 Reversible Blades (Espresso/Dark Cherry)
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Pull Chains Included



72241 Wengue
 30 in. Chrome Finish
 Reversible Blades (Wengue/Beech)
 Opal Frosted Glass
 Includes 16 Watt Integrated LED
 Pull Chains Included



72307 Petite
 30 in. Brushed Nickel Finish
 Reversible Blades (Rosewood/Light Maple)
 Opal Mushroom Glass
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp
 (WL Lamp #50581)
 Pull Chains Included



72308 Petite
 30 in. White Finish
 Reversible Blades (White/White Washed Pine)
 Opal Mushroom Glass
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp
 (WL Lamp #50581)
 Pull Chains Included



72317 Petite
 30 in. Antique Brass Finish
 Reversible Blades (Walnut/Oak)
 Opal Mushroom Glass
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp
 (WL Lamp #50581)
 Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{**†}
72330	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72241	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72308 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72317 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
72307 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



72236 Roundabout
30 in. Brushed Nickel Finish
Reversible Blades (Multi-Color/White)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



INTEGRATED DIMMABLE LED



72247 Quince
24 in. White Finish
Reversible Blades (White/Beech)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



72246 Quince
24 in. Gun Metal Finish
Reversible Blades (Black/Graphite)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

INTEGRATED DIMMABLE LED



72366 Quince
24 in. Chrome Finish
Reversible Blades (Wengue/Beech)
Opal Frosted Glass

Includes 16 Watt Integrated LED
Pull Chains Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

DIMMABLE LED



72369 Origami
24 in. Chrome Finish
Reversible Blades (Wengue/Beech)
Opal Frosted Glass

Includes (1) Candelabra (E12) Base, 4.5 Watt G16-1/2 LED Lamp
(WL Lamp #50242)
Pull Chains Included



FAN FAMILY
COORDINATING ITEMS AVAILABLE

Fan Performance Specifications can be found on Page 78-81.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{***†}
72236	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72247	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72246	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72366	*	16	75	3000 (Warm White)	1150	80	25000	22.8	\$1.93
72369 [†]	1	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp. * Integrated LED Light Source

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh

INDOOR/OUTDOOR CEILING FANS

Westinghouse ceiling fans designed for patios, verandahs and gazebos create ambience and style in any outdoor living space. Our indoor/outdoor ceiling fans inspire creativity in indoor and outdoor spaces alike.

Fan Performance Specifications can be found on Page 78-81.



74004B Halley
 44 in. Black-Bronze Finish
 Reversible ABS Blades (Dark Cherry/Mahogany)
 Frosted Opal Glass
 Smart WiFi Technology
 Includes (2) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamps (WL Lamp #51840)
 Remote Control Included



72334 Brentford
 52 in. Aged Walnut Finish
 Reversible ABS Blades (Dark Cherry with Shaded Edge/Walnut)
 Clear Seeded Glass
 Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)
 Pull Chains Included



72178 Halley
 44 in. Oil Rubbed Bronze Finish
 Reversible ABS Blades (Dark Cherry/Mahogany)
 Frosted Opal Glass
 Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps
 Remote Control Included



72362 Oasis
 48 in. Oil Rubbed Bronze Finish
 Mahogany ABS Blades
 Yellow Alabaster Glass
 Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)
 Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years [*]	Est. Yearly Energy Cost ^{***}
74004B [†]	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72334 [†]	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	\$0.54
72178 [†]	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	\$1.18
72362 [†]	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
[†] Values are per lamp.

^{*}Based on 3hrs./day ^{**}Based on operating 3hrs./day 11¢/kWh



72170 Contempra
48 in. Oil Rubbed Bronze Finish
Dark Walnut ABS Blades
Pull Chains Included




72168 Deacon
52 in. Oil Rubbed Bronze Finish
Dark Walnut ABS Blades
Pull Chains Included



72172 Contempra
48 in. White Finish
White ABS Blades
Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.



- A. Ceiling to bottom of blade
- B. Ceiling to bottom of switch housing
- C. Ceiling to bottom of canopy
- D. Width of motor housing
- E. Width of canopy
- F. Ceiling to bottom of light kit

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Alloy	3/4 X 4"	6.38"	11.00"	2.50"	6.75"	5.13"	11.75"
Alloy II	3/4 X 4"	10.00"	11.42"	2.44"	7.09"	5.12"	13.90"
Alloy LED	3/4 X 4"	8.07"	11.42"	2.44"	7.05"	5.12"	13.19"
Alta Vista	3/4 X 4"	10.83"	8.39"	2.44"	7.87"	5.12"	13.70"
Arcadia	3/4 X 4"	9.38"	11.00"	2.00"	9.75"	5.88"	14.00"
Barnett	3/4 X 4"	11.81"	12.60"	2.20"	11.42"	5.98"	21.26"
Bendan	3/4 X 4"	11.42"	7.87"	2.44"	10.24"	5.12"	14.17"
Bendan LED	3/4 X 4"	11.42"	7.87"	2.44"	10.24"	5.12"	14.17"
Brentford	3/4 X 4"	9.96"	11.65"	2.06"	12.36"	5.83"	18.78"
Brinley	3/4 X 6"	10.90"	14.84"	2.13"	7.68"	5.90"	14.85"
Carla	N/A	9.75"	N/A	N/A	7.75"	N/A	11.00"
Carolina LED	N/A	6.88"	9.75"	N/A	11.10"	N/A	13.75"
Casanova	N/A	8.00"	8.50"	N/A	11.00"	N/A	N/A
Casanova Supreme	N/A	8.27"	9.05"	N/A	8.90"	N/A	15.35"
Cassidy	3/4 X 4"	11.22"	11.81"	2.09"	8.58"	5.12"	16.54"
Castle LED	3/4 X 6"	11.43"	12.63"	2.40"	10.49"	5.13"	15.98"
Cayuga	3/4 X 6"	13.78"	11.54"	2.56"	10.63"	5.12"	17.13"
Chambers	3/4 X 6"	12.20"	10.43"	2.52"	9.09"	5.12"	20.28"
Comet	3/4 X 4"	11.88"	14.25"	2.25"	11.50"	5.13"	14.25"
Contempra	N/A	7.48"	7.48"	N/A	10.24"	N/A	N/A
Contempra IV	N/A	7.13"	8.13"	N/A	11.50"	N/A	13.00"
Contempra Trio	N/A	9.45"	9.84"	N/A	10.24"	N/A	15.35"
Contractor Choice	3/4 X 4"	10.25"	11.25"	2.25"	9.00"	5.25"	N/A
Damen	3/4 X 8"	12.40"	11.02"	2.06"	7.87"	5.86"	16.54"
Deacon	3/4 X 4"	11.81"	12.60"	2.44"	11.02"	5.12"	N/A
Desoto	3/4 X 6"	13.39"	13.78"	2.56"	8.27"	5.12"	15.75"
Drake	3/4 X 4"	9.92"	12.25"	2.50"	7.88"	5.13"	16.06"
Elite	3/4 X 4"	9.63"	12.63"	2.13"	9.00"	5.25"	16.63"
Evan	3/4 X 6"	13.58"	13.94"	2.06"	7.72"	5.85"	15.96"
Fairview	3/4 X 4"	12.25"	13.00"	2.38"	11.00"	5.13"	18.88"
Hadley	N/A	5.13"	6.75"	N/A	8.46"	N/A	10.75"
Halley	N/A	9.45"	2.95"	2.95"	9.45"	9.06"	13.78"
Harmony	3/4 X 6"	10.63"	12.75"	2.00"	7.50"	6.00"	17.13"

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Jax (72379 & 72381)	1/2 X 12"	17.32"	15.55"	2.44"	7.22"	5.13"	N/A
Jax (78003)	1/2 X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Jax (78127 & 78614)	1/2 X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Jax (78409)	1/2 X 12"	18.50"	17.32"	4.02"	7.72"	5.71"	N/A
Josef	3/4 X 6"	10.63"	N/A	2.24"	7.09"	5.12"	16.33"
Julien	3/4 X 6"	12.32"	7.59"	2.40"	7.87"	5.16"	16.45"
Kelcie	3/4 X 6"	12.60"	10.43"	2.09"	10.24"	5.12"	19.09"
Madeline	3/4 X 6"	9.81"	12.56"	2.06"	10.33"	5.85"	14.49"
Morris	3/4 X 6"	10.63"	13.27"	2.06"	6.86"	5.85"	15.20"
Newtown	3/4 X 4"	13.38"	12.63"	2.38"	10.00"	5.13"	17.75"
Oasis	3/4 X 4"	13.63"	13.38"	2.38"	9.00"	5.13"	18.75"
Origami	3/4 X 4"	7.88"	10.00"	2.50"	6.75"	5.13"	14.75"
Petite	N/A	8.46"	9.45"	N/A	9.37"	N/A	14.84"
Porto	3/4 X 4"	10.75"	12.76"	2.72"	7.87"	5.20"	20.08"
Quince	3/4 X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Richboro SE	3/4 X 4"	12.25"	18.13"	2.25"	8.63"	5.13"	19.25"
Roundabout	3/4 X 4"	11.42"	13.75"	2.36"	7.68"	5.12"	15.92"
Scholar	3/4 X 6"	12.32"	13.86"	2.36"	10.99"	5.16"	19.90"
Solana	3/4 X 4"	10.75"	13.00"	2.00"	7.63"	6.25"	17.38"
Stella Mira	3/4 X 10"	16.22"	N/A	2.56"	8.27"	5.12"	27.36"
Sumter	N/A	6.00"	7.87"	N/A	11.42"	N/A	14.20"
Swirl	3/4 X 4"	13.50"	12.00"	2.25"	12.00"	5.25"	18.00"
Techno II	3/4 X 4"	11.02"	11.81"	2.06"	8.27"	5.86"	13.39"
Thurlow	3/4 X 6"	14.76"	16.93"	2.56"	8.66"	5.12"	13.27"
Turbo Swirl	3/4 X 4"	10.00"	11.50"	2.25"	7.00"	5.00"	14.50"
Vector Elite	3/4 X 4"	7.00"	11.25"	2.13"	10.38"	5.13"	15.50"
Vintage	3/4 X 4"	10.87"	12.92"	2.41"	11.02"	5.12"	18.43"
Vintage II	3/4 X 4"	11.38"	13.25"	2.38"	11.13"	5.13"	19.25"
Wengue	3/4 X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Widespan	3/4 X 24"	33.00"	N/A	3.00"	11.75"	7.50"	N/A
Willa	3/4 X 6"	11.50"	N/A	2.25"	8.25"	5.00"	20.00"
Xavier	3/4 X 4"	16.00"	17.50"	2.00"	10.00"	5.00"	22.50"
Xavier II	3/4 X 4"	16.00"	17.50"	2.00"	10.00"	5.00"	22.50"
Zephyr	3/4 X 6"	13.18"	11.93"	2.56"	9.84"	5.12"	16.90"

If a Combo Style Fan with a 4" Down Rod is Installed without the Down Rod, Subtract 3" from the Dimensions Listed (A, B, F).
 If a Combo Style Fan with a 6" Down Rod is Installed without the Down Rod, Subtract 5" from the Dimensions Listed (A, B, F).

Family Name	Page#	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Alloy (72215, 72216, 72225)	68	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	78"	Dual	3	Adaptable	Yes
Alloy (73050 & 73051)	68	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	24"	Dual	3	Adaptable	Yes
Alloy II	58	52"	6	Plywood	10°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alloy LED	62	52"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alta Vista (72059 & 72257)	57	52"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Alta Vista (73053)	57	52"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Arcadia	69	46"	3	Plywood	12°	Silicon Steel	153mm x 12mm	78"	Triple	3	Included	Yes
Barnett (72205)	67	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Barnett (74001B)	67	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Bendan	64	52"	5	Plywood	12°	Silicon Steel	153mm x 17mm	78"	Dual	3	Included	Yes
Bendan LED	64	52"	5	Wood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Brentford	75	52"	5	ABS	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Brinley	57	52"	3	Plywood	12°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Carla	67	46"	3	ABS	24°	Silicon Steel	153mm x 15mm	12"	Single	4	Included	Yes
Carolina LED	65	52"	5	MDF	12°	Silicon Steel	153mm x 17mm	12"	Triple	3	Not Adaptable	Yes
Casanova	66	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Casanova Supreme	71	42"	4	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Cassidy	72	36"	5	MDF	12°	Silicon Steel	153mm x 12mm	24"	Triple	3	Adaptable	Yes
Castle LED	59	52"	5	Plywood	12°	Cold Rolled Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Cayuga (72077 & 72078)	58	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Cayuga (74002B & 74003B)	56	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Chambers	59	60"	5	Plywood	11.5°	Silicon Steel	188mm x 22mm	54"	Dual	4	Included	Yes
Comet (72242, 72336 & 72341)	63	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Comet (73054 & 73055)	63	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Contempra	76	48"	5	ABS	12°	Silicon Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra IV	65-66	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra Trio	71	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Contractor Choice	66	52"	5	MDF	12°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Damen	58	68"	8	Plywood	12°	DC165M	165mm x 25mm	54"	N/A	6	Included	Yes
Deacon	76	52"	5	ABS	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Desoto	59	52"	4	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Drake	68	48"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Elite	69	48"	3	Plywood	12°	Cold Rolled Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Evan	59	52"	3	ABS	50°	Silicon Steel	172mm x 20mm	54"	Single	4	Included	Yes
Fairview	65	52"	5	MDF	11°	Cold Rolled Steel	153mm x 12mm	24"	Triple	3	Included	Yes
Hadley	70	42"	4	MDF	12°	Silicon Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Halley (72178)	75	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Halley (72179)	70	44"	3	Plywood	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Halley (74004B)	75	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.

*For sloped ceiling applications up to 45°, use item #70031 or #70032 (sold separately).

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
13°	Down Rod Only	2176	51	42	\$12	-	-	-	-	214	0.44
13°	Down Rod Only	2176	51	42	\$12	-	-	-	-	214	0.44
14°	Down Rod Only	3321	87	38	\$11	-	-	-	-	163	0.5
12°	Down Rod Only	2618	67	39	\$11	-	-	-	-	170	0.51
N/A	Down Rod Only	3334	84	40	\$11	-	-	-	-	175	0.52
N/A	Down Rod Only	3344	85	39	\$11	-	-	-	-	197	0.5
N/A	Down Rod Only	2801	79	35	\$10	-	-	-	-	222	0.42
N/A	Down Rod Only	2947	75	39	\$11	-	-	-	-	180	0.53
N/A	Down Rod Only	3264	89	37	\$10	-	-	-	-	200	0.49
N/A	Down Rod Only	3302	82	40	\$11	-	-	-	-	173	0.49
N/A	Down Rod Only	3173	74	43	\$12	-	-	-	-	178	0.53
16°	Down Rod Only	3321	92	36	\$10	-	-	-	-	151	0.47
16°	Down Rod Only	3413	94	36	\$10	-	-	-	-	174	0.46
N/A	Hugger	-	-	-	-	2352	63	37	\$10	167	0.49
N/A	Hugger	-	-	-	-	2480	73	34	\$9	157	0.44
N/A	Hugger	-	-	-	-	2920	76	38	\$11	162	0.5
N/A	Hugger	-	-	-	-	2165	70	31	\$9	217	0.4
18°	Combo	1901	62	31	\$9	1755	57	31	\$9	242	0.37
18°	Combo	3387	87	39	\$11	3211	82	39	\$11	163	0.51
N/A	Down Rod Only	4420	78	57	\$16	-	-	-	-	145	0.68
N/A	Down Rod Only	4383	85	52	\$14	-	-	-	-	141	0.72
N/A	Down Rod Only	4466	81	55	\$15	-	-	-	-	156	0.67
15°	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
15°	Combo	3210	82	39	\$11	2492	64	39	\$11	147	0.53
N/A	Hugger	-	-	-	-	3075	85	36	\$10	204	0.46
N/A	Hugger	-	-	-	-	3225	82	39	\$11	166	0.51
N/A	Hugger	-	-	-	-	2232	72	31	\$9	207	0.4
11°	Combo	2981	77	39	\$11	2893	75	39	\$11	175	0.54
10°	Down Rod Only	5213	257	20	\$6	-	-	-	-	115	0.44
16°	Down Rod Only	3689	107	35	\$10	-	-	-	-	215	0.46
18°	Down Rod Only	3560	93	38	\$11	-	-	-	-	189	0.5
N/A	Down Rod Only	3597	92	39	\$11	-	-	-	-	225	0.5
14°	Down Rod Only	2997	78	39	\$11	-	-	-	-	219	0.51
N/A	Down Rod Only	3975	92	43	\$12	-	-	-	-	170	0.59
N/A	Combo	3180	78	41	\$11	2753	67	41	\$12	144	0.53
N/A	Hugger	-	-	-	-	2035	51	40	\$11	250	0.42
N/A	Hugger	-	-	-	-	3158	90	35	\$10	260	0.43
N/A	Hugger	-	-	-	-	2820	79	36	\$10	203	0.43
N/A	Hugger	-	-	-	-	3072	87	35	\$10	249	0.42



Visit www.westinghouselighting.com for FTC energy guide information.

Family Name	Page #	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Harmony	69	48"	2	Plywood	13°	Silicon Steel	153mm x 20mm	78"	Triple	4	Adaptable	Yes
Jax (72379 & 72381)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	N/A	4	Included	Yes
Jax (78003)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	4	Wall Control	Yes
Jax (78127 & 78614)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	5	Wall Control	Yes
Jax (78409)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	5	Wall Control	Yes
Josef	67	48"	3	Polycarbonate	51°	DC Motor	155mm x 16mm	54"	N/A	6	Included	Yes
Julien	60	54"	3	Polycarbonate	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Kelcie	62	52"	4	Plywood	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Madeline	60	56"	3	Polycarbonate	14°	Silicon Steel	172mm x 15mm	54"	Single	4	Included	Yes
Morris	59	52"	5	Plywood	12°	Silicon Steel	172mm x 15mm	54"	Single	4	Included	Yes
Newtown	70	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	78"	Dual	3	Adaptable	Yes
Oasis	75	48"	5	ABS	13°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Origami	74	24"	6	MDF	18°	Silicon Steel	153mm x 9mm	78"	Triple	3	Adaptable	Yes
Petite	73	30"	6	MDF	18°	Cold Rolled Steel	153mm x 12mm	12"	Triple	3	Not Adaptable	Yes
Porto	56	52"	4	Plywood	12°	Silicon Steel	153mm x 15mm	54"	Single	4	Included	Yes
Quince	74	24"	6	MDF	18°	Silicon Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Richboro SE	70	42"	5	MDF	12°	Silicon Steel	153mm x 10mm	78"	Dual	3	Adaptable	Yes
Roundabout	74	30"	5	MDF	18°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Scholar	56	52"	5	MDF	12°	Silicon Steel	153mm x 13mm	54"	Triple	3	Adaptable	Yes
Solana	69	48"	2	Plywood	12°	Silicon Steel	153mm x 17mm	78"	Triple	3	Included	Yes
Stella Mira (72171)	57	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Stella Mira (73057)	57	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Sumter	65	52"	5	MDF	12°	Cold Rolled Steel	153mm x 18mm	12"	Triple	3	Not Adaptable	Yes
Swirl	64	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Techno II	60	72"	3	ABS	12°	DC165M	165mm x 25mm	54"	N/A	6	Included	Yes
Thurlow	62	54"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Turbo Swirl	72	30"	6	MDF	18°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vector Elite	70	42"	3	Plywood	16°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Vintage	64	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vintage II	65	52"	5	MDF	11°	Cold Rolled Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Wengue	73	30"	3	MDF	18°	Silicon Steel	153mm x 9mm	78"	Dual	3	Adaptable	Yes
Widespan (72248)	60	100"	6	Aluminum	17°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Widespan (72249)	60	100"	8	Aluminum	12°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Willa	58	60"	6	Plywood	12°	Silicon Steel	188mm x 20mm	54"	Single	4	Included	Yes
Xavier	69	44"	5	MDF	13°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Xavier II	59	52"	5	MDF	13°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Zephyr	58	56"	5	Plywood	12°	Silicon Steel	172mm x 20mm	54"	Dual	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.

*For sloped ceiling applications up to 45°, use item #70031 or #70032 (sold separately).

**For performance values please refer to the spec sheet.

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
16°	Down Rod Only	3315	95	35	\$10	-	-	-	-	190	0.46
N/A	Down Rod Only	3366	96	37	\$10	-	-	-	-	204	0.47
24°	Down Rod Only	3314	96	35	\$10	-	-	-	-	212	0.49
24°	Down Rod Only	3438	84	41	\$11	-	-	-	-	196	0.5
N/A	Down Rod Only	3438	84	41	\$11	-	-	-	-	196	0.5
N/A	Down Rod Only	4485	211	24	\$7	-	-	-	-	226	0.43
N/A	Down Rod Only	3471	89	41	\$11	-	-	-	-	180	0.49
N/A	Down Rod Only	3186	80	40	\$11	-	-	-	-	194	0.53
N/A	Down Rod Only	3811	112	34	\$10	-	-	-	-	155	0.47
N/A	Down Rod Only	3316	88	38	\$11	-	-	-	-	192	0.53
18°	Combo	2421	74	7	\$2	2424	74	33	\$9	228	0.41
11°	Combo	3046	91	33	\$9	2962	89	33	\$9	146	0.42
15°	Down Rod Only	1055	50	21	\$6	-	-	-	-	326	0.26
N/A	Hugger	-	-	-	-	1649	60	28	\$8	271	0.35
N/A	Combo	3223	78	42	\$12	2264	54	42	\$12	176	0.52
18°	Down Rod Only	965	45	21	\$6	-	-	-	-	309	0.26
15°	Combo	2439	78	31	\$9	2284	73	31	\$9	225	0.38
18°	Down Rod Only	1609	62	26	\$7	-	-	-	-	262	0.34
16°	Combo	3212	91	36	\$10	3028	84	36	\$10	167	0.45
N/A	Down Rod Only	3494	97	36	\$10	-	-	-	-	246	0.42
N/A	Down Rod Only	3521	88	40	\$11	-	-	-	-	168	0.51
N/A	Down Rod Only	3113	83	38	\$11	-	-	-	-	165	0.48
N/A	Hugger	-	-	-	-	3251	80	41	\$11	171	0.54
18°	Combo	3267	83	39	\$11	2987	76	39	\$11	185	0.55
11°	Down Rod Only	4963	255	19	\$5	-	-	-	-	141	0.43
18°	Down Rod Only	3609	94	38	\$11	-	-	-	-	166	0.5
18°	Down Rod Only	1690	57	30	\$8	-	-	-	-	227	0.38
16°	Down Rod Only	2282	71	32	\$9	-	-	-	-	208	0.44
16°	Combo	3256	87	38	\$11	2986	80	38	\$11	174	0.49
16°	Combo	3060	80	38	\$11	2655	70	38	\$11	157	0.49
11°	Down Rod Only	1347	50	27	\$8	-	-	-	-	246	0.3
N/A	Down Rod Only	-	**	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	-	**	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	3596	79	46	\$13	-	-	-	-	140	0.58
17°	Combo	3007	82	37	\$10	2918	79	37	\$10	213	0.46
17°	Combo	3111	81	38	\$11	3003	79	38	\$11	162	0.49
N/A	Down Rod Only	3935	84	47	\$13	-	-	-	-	159	0.58



Visit www.westinghouselighting.com for FTC energy guide information.

CEILING FAN ACCESSORIES

Complement your Westinghouse ceiling fans with decorative pull chains and energy-saving light kits, while enjoying the convenience of our fan remote controls.

CEILING FAN CONTROLS

All fan controls are single AC motor fan usage only and indoor use only.

New!



77882
Backlit Display 4 Speed Ceiling Fan and Light Remote Control

- Backlit buttons make it easy to use in the dark
- On/Off switch for both fan and light kit
- Adjust light levels on fan light with dimmable light bulbs
- Operates up to a distance of 40 feet
- High/Medium/Medium-Low/Low fan speeds
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Transmitter and Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 1.20
Max. Light 100 Watt

New!



77879
Backlit Display 4 Speed Ceiling Fan and Light Remote Control

- Backlit buttons make it easy to use in the dark
- On/Off switch for both fan and light kit
- Adjust light levels on fan light with dimmable light bulbs
- Operates up to a distance of 40 feet
- High/Medium/Medium-Low/Low fan speeds
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Transmitter and Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 1.20
Max. Light 100 Watt



77871
Dimmable Selector Switch 3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Full dimming capability with non dimming option when used with non dimmable lamps
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (2) AAA batteries included

Max. Fan Amp 0.8
Max. Light 300 Watt



77870
3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- (1) 9 Volt battery included

Max. Fan Amp 1.00
Max. Light 190 Watt



77872
Single Slide 4 Speed Ceiling Fan Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Easy 2 wire installation in standard junction box
- Matching wall plate included

Max. Fan Amp 1.25



77873
Dual Slide 4 Speed Ceiling Fan and Incandescent Light Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Full range sliding light dimmer for incandescent light bulbs
- Easy 3 wire installation in standard junction box
- Replaces toggle switch
- Matching wall plate included

Max. Fan Amp 1.25



77875
3 Speed Ceiling Fan and Incandescent Light Wall Control

- High/Medium/Low fan speeds
- Full range light dimmer for incandescent light bulbs
- Wireless communication between transmitter and receiver
- Operates up to a distance of 40 feet
- Easy 2 wire installation in standard junction box
- Universal receiver fits most ceiling fans
- Matching wall plate included

Max. Fan Amp 1.25

CEILING FAN LIGHT KITS



77845
LED Cluster Ceiling Fan Light Kit
Polished Brass Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77849
LED Cluster Ceiling Fan Light Kit
Brushed Nickel Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77850
LED Cluster Ceiling Fan Light Kit
Oil Rubbed Bronze Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77848
LED Cluster Ceiling Fan Light Kit
Antique Brass Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77847
LED Cluster Ceiling Fan Light Kit
White Finish
Frosted Ribbed Glass
Diameter: 12.75" Height: 7.00"
Includes (3) Medium (E26) Base,
5 Watt Omni A15 LED Lamps



77846
LED Schoolhouse Ceiling Fan Light Kit
Oil Rubbed Bronze Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9.8 Watt Omni A19 LED Lamp



77853
LED Schoolhouse Ceiling Fan Light Kit
White Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9.8 Watt Omni A19 LED Lamp



77851
LED Schoolhouse Ceiling Fan Light Kit
Antique Brass Finish
White Opal Glass
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9.8 Watt Omni A19 LED Lamp



77852
3-in-1
LED Schoolhouse Ceiling Fan Light Kit
White Opal Glass
Includes Three Fitters:
• 1 White Finish Fitter
• 1 Oil Rubbed Bronze Finish Fitter
• 1 Brushed Nickel Finish Fitter
Diameter: 8.25" Height: 6.75"
Includes (1) Medium (E26) Base,
9 Watt Omni A19 LED Lamp

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts) [†]	Equiv. Incand. Wattage [†]	Color Temperature (Kelvin)	Brightness (Lumens) [†]	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost** ^{††}
77845 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77849 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77850 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77848 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77847 [†]	3	5	40	2700 (Warm White)	450	80	15000	13.6	\$0.60
77846	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
77853	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
77851	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	\$1.18
77852	1	9	60	3000 (Warm White)	800	80	15000	13.6	\$1.08


[†]Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

EXTENSION DOWN RODS



Brushed Nickel



White

For optimum performance, ceiling fan blades should be at least 7' from the floor but no higher than 8-9' in order to best cool a room.

For ceilings 9' and higher, an extension down rod is recommended to bring the ceiling fan down to the proper height above the floor.

1/2 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77492	Brushed Nickel	24"
77240	White	12"
77243	White	24"

1/2 ID is the nominal dimension of these rods.

3/4 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77526	Brushed Nickel	12"
77527	Brushed Nickel	24"
77254	White	24"

3/4 ID is the nominal dimension of these rods.

PULL CHAINS



77224
Fan Coin
Antique Brass Finish



77217
Ball
Brushed Nickel Finish



77096
Beaded Ball
Oil Rubbed Bronze Finish



77214
Trophy
Oil Rubbed Bronze Finish



77103
Pendant
Brushed Nickel Finish



77220
Light Bulb Coin
Antique Brass Finish



77005
Teardrop
Polished Brass Finish



77087
Natural Finish Wooden Handle
Polished Brass Finish



77013
Walnut Wooden Knob
Polished Brass Finish



77014
White Wooden Knob
Polished Brass Finish



70661 36" Chain
Walnut Wooden Ball
Polished Brass Finish



77007
Sculptured Walnut Wooden Ball
Polished Brass Finish



77084
Prismatic Acrylic Sphere
Polished Brass Finish



77093
Prismatic Acrylic Diamond
Polished Brass Finish

CEILING FAN ACCESSORIES



70031
Cathedral Ceiling Fan Canopy Kit
Brushed Nickel Finish
Use With 1/2 or 3/4 ID Down Rods
Can be mounted onto a cathedral ceiling with up to a 45° angle with or without remote.
85 lb. Load Rating



70032
Cathedral Ceiling Fan Canopy Kit
Oil Rubbed Bronze Finish
Use With 1/2 or 3/4 ID Down Rods
Can be mounted onto a cathedral ceiling with up to a 45° angle with or without remote.
85 lb. Load Rating



77079
Canopy Kit
White Finish
3/4 ID Ball Included
Can be mounted onto a cathedral ceiling having up to a 25° angle
100 lb. Load Rating



77059
Canopy Bracket
Designed For Use With 1/2 or 3/4 ID Down Rods and Canopy Ball
Mounting Hardware Included
100 lb. Load Rating



77015
Fan Blade Balancing Kit
Includes:
• 2-5 Gram Self-Adhering Weights
• 1 Balancing Clip



77047
10-Piece Motor Screw Kit
Polished Brass Finish
For Mounting Fan Blade Arm to Motor Housing



77401
42" White Finish
Replacement Fan Blade Arms
77406
52" White Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included



77402
42" Antique Brass Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included



77417
52" Oil Rubbed Bronze Finish
Replacement Fan Blade Arms
5 Piece Set
Installation Hardware Included



***16584**
3' White Braided Cord
Nickel Finish Connector and End Bell Attached



77414
52" White Outdoor ABS Fan Blades
Length: 20.5" Width: 5.38"
5 Blade Set



77411
42" White/Bleached Oak
Reversible Fan Blades
Length: 16.5" Width: 5"
77416
52" White/Bleached Oak
Reversible Fan Blades
Length: 20.5" Width: 5.38"
5 Blade Set




77410
42" Oak/Walnut
Reversible Fan Blades
Length: 16.5" Width: 5"
77415
52" Oak/Walnut
Reversible Fan Blades
Length: 20.5" Width: 5.38"
5 Blade Set



77016
Twenty 1/2" Screws
For Fan Lights and Fan Blades
Includes:
• 5 - 8-32 Antique Brass
• 5 - 8-32 Polished Brass
• 5 - 10-24 Antique Brass
• 5 - 10-24 Polished Brass

FAN BLADE HOLE DIMENSIONS



Reference fan blade hole dimensions listed below when ordering replacement fan blade arms shown above.
(Item numbers - 77401, 77402, 77406, and 77417).

FAN BLADE HOLE DIMENSIONS		
Dimension	52" Parts	42" Parts
A	3 ¹⁵ / ₁₆ "	3 ¹ / ₂ "
B	2 ³ / ₄ "	2 ⁵ / ₈ "
C	2 ¹ / ₁₆ "	1 ¹ / ₂ "

CEILING FAN ACCESSORIES



77064 3 Ft.
Beaded Chain with Connector
Antique Brass Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




70168 5 Ft.
Beaded Chain with Connector
Brass Finish
Diameter: 0.13"
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




77012 1 Ft.
Beaded Chain with Connector
Solid Brass
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




77050 3 Ft.
Beaded Chain with Connector
Solid Brass
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77238 3 Ft.
Beaded Chain with Connector
Brushed Nickel Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77049 3 Ft.
Beaded Chain with Connector
Stainless Steel
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77054 3 Ft.
Beaded Chain with Connector
Oil Rubbed Bronze Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77066
Six Beaded Chain Connectors
Antique Brass Finish
For use with .011 Gauge 1/8"
Diameter Ball Chain



77044
Six Beaded Chain Connectors
Solid Brass
For use with .011 Gauge 1/8"
Diameter Ball Chain



77045
Six Beaded Chain Connectors
Chrome Finish
For use with .011 Gauge 1/8"
Diameter Ball Chain




77077
Porcelain Fixture Socket
Height: 2.41"
10" Wire Leads
Medium Base, 1/8-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts



77022
Fan Light Switch
with Chrome Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC



77023
Fan Light Switch
with Polished Brass Finish Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC



77052
3-Way Fan Light Switch
with Polished Brass Finish Pull Chain
3 Wire, Single Pole Switch
2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77075
3-Speed Fan Switch
with Polished Brass Finish Pull Chain
Triple Capacitor 8-Wire Unit
2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77021
3-Speed Fan Switch
with Polished Brass Finish Pull Chain
Single Capacitor 4-Wire Unit
2' Braided Cord
3A, 250 VAC
6A, 125 VAC

CEILING FAN & LIGHT FIXTURE ACCESSORIES

From ornamental ceiling medallions to secure support braces and boxes, Westinghouse offers a full line of both decorative and functional accessories to enhance and complete any ceiling fan or light fixture installation.

MOLDED PLASTIC MEDALLIONS

Adhesive or additional mounting hardware required.



77027 Victorian
White Finish
Diameter: 8.67" Center Opening: 4.00"



77037 Smooth
White Finish
Diameter: 9.75" Center Opening: 4.00"



77028 Victorian
White Finish
Diameter: 15.50" Center Opening: 4.00"



77035 Textured
White Finish
Diameter: 15.75" Center Opening: 4.00"



77733 Round Beaded
White Finish
Diameter: 15.75" Center Opening: 4.00"



77732 Smooth
White Finish
Diameter: 15.88" Center Opening: 4.00"

SAF-T-BRACE® AND SAF-T-BAR®

*Fits 16" to 24" ceiling joists
Attic access is not required for any items unless otherwise noted.*

Four teeth and single screw on each end for additional security

REMODEL USE



◆ **01010**
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Extra Strong Grip



Teeth twist and lock into joist for a secure connection

REMODEL USE



◆ **01100**
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Strong Grip
Convenient magnet holds box to brace during installation



Teeth twist and lock into joist

REMODEL USE



◆ **01400**
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 2.13"
Heavy Duty, 21.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Strong Grip
Larger Box for Increased Wire Capacity
Convenient magnet holds box to brace during installation



End bracket has 90° angled lip for easy placement

NEW CONSTRUCTION
ATTIC ACCESS REQUIRED



+ **01525 (0152511 Bulk Packed)**
Saf-T-Bar® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Can be used with Engineered Truss



SAF-T-BOX®



NEW OR REMODEL CONSTRUCTION

▲ **01020 (0102011 Bulk Packed)**
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Electrical Box
3 Knockouts for Conduit or Romex®



NEW OR REMODEL CONSTRUCTION

▲ **01050 (0105011 Bulk Packed)**
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
1 Romex® Clamp



NEW OR REMODEL CONSTRUCTION

▲ **0105211 (Bulk Packed)**
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
1 Romex® Connector



NEW OR REMODEL CONSTRUCTION

▲ **0104011 (Bulk Packed)**
Saf-T-Box® Fan/Fixture Support Box
Box Depth 2.13"
Heavy Duty
21.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
1 Romex® Clamp
Larger Box for Increased Wire Capacity

◆ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 50 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.

✦ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 90 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.

▲ For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.

* Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).

All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.
All Items Meet or Exceed NEC Safety Codes.

SAF-T-GRID®



Turnbuckle for easy height adjustment

All weight is carried by building structure, not by gridwork



SUSPENDED CEILING APPLICATIONS

***01070**

Saf-T-Grid® Fan/Fixture Support Brace and Box for Suspended Ceilings

Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex*
Fits 2' x 2' and 2' x 4' ceiling tile gridwork



Mounting Hardware

SAF-T-PAN®



NEW OR REMODEL CONSTRUCTION

•01030 (0103011 Bulk Packed)

Saf-T-Pan® Fan/Fixture Support Pan
Box Depth 0.63"
Heavy Duty, 8 Cubic Inch Dual Mount* Electrical Pan
2 Knockouts for Conduit or Romex*



NEW OR REMODEL CONSTRUCTION

•01036 (0103611 Bulk Packed)

Saf-T-Pan® Fan/Fixture Support Pan
Box Depth 0.5"
Heavy Duty, 6 Cubic Inch Dual Mount* Electrical Pan
5 Knockouts for Conduit or Romex*

FAN MASTER JR.® & FAN MASTER®



Clips inside box hold screws during installation

NEW CONSTRUCTION

•0252511 (Bulk Packed)

Fan Master Jr.® Fan/Fixture Support
Height 4"
Box Depth 0.5"
13.4 Cubic Inch Wiring Capacity
2 Knockouts for Conduit or Romex*
2 Hour Fire Rating



Clips inside box hold screws during installation


NEW CONSTRUCTION

•0200011 (Bulk Packed)

Fan Master® Fan/Fixture Support
Height 4-13/16"
Box Depth 0.63"
16.5 Cubic Inch Wiring Capacity
2 Knockouts for Conduit or Romex*
2 Hour Fire Rating



SIDEMOUNT PLUS FAN BOX®



REMODEL USE

■01240

Sidemount Plus Fan/Fixture Box®
Box Depth 2.13"
Heavy Duty, 21.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex*
Removable Sidemount Bracket
Larger Box for Increased Wire Capacity

■ For fixture support of 70 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
● For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
✱ For fixture support of 50 lbs. or less. / Acceptable for fan support of 50 lbs. or less.
* Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).
All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.
All Items Meet or Exceed NEC Safety Codes.
www.westinghouselighting.com

REPLACEMENT GLASSWARE & ASSORTED SHADES

Refreshing a light fixture or ceiling fan with our unique selection of shades is an easy design upgrade. From classic glass diffusers to vibrant art glass shades, Westinghouse offers choices for all of your lighting needs.



• **81282**
Frosted Etched Grape Design Crimp Shade
Fitter: 2.25"
Height: 4.81"
Diameter: 4.25"



81258
Clear Ribbed Bell Shade
Fitter: 2.25"
Height: 4.50"
Diameter: 4.75"

6
PACK



85617
Clear Glass Shade, 6-Pack
Fitter: 3.25"
Height: 4.75"
Diameter: 3.63"
Sold as 6-Pack Only



• **81208**
White Angled Design Shade
Fitter: 2.25"
Height: 6.75"
Diameter: 3.75"



81242
Satin Crimp Shade
Fitter: 2.25"
Height: 4.13"
Diameter: 5.00"



• **81100**
Frosted Etched Shade
Fitter: 1.63"
Height: 5.00"
Diameter: 4.25"

6
PACK



85602
Clear Design Shade, 6-Pack
Fitter: 3.25"
Height: 5.75"
Diameter: 5.50"
Sold as 6-Pack Only



81819
Clear Dot Pattern Diffuser
Height: 1.25"
Diameter: 13.00"

6
PACK



• **85578**
Opal Schoolhouse Shade, 6-Pack
Fitter: 4.00"
Height: 6.25"
Diameter: 7.25"
Sold as 6-Pack Only



• **81592**
White Schoolhouse Shade
Fitter: 3.25"
Height: 4.94"
Diameter: 5.75"

6
PACK



• **85757**
White Mushroom Shade, 6-Pack
Fitter: 8.00"
Height: 4.00"
Diameter: 9.50"
Sold as 6-Pack Only

6
PACK



• **85613**
White Mushroom Shade, 6-Pack
Fitter: 6.00"
Height: 3.75"
Diameter: 7.50"
Sold as 6-Pack Only

6
PACK



85606
White and Clear Drum Shade, 6-Pack
Fitter: 6.00"
Height: 3.38"
Diameter: 6.50"
Sold as 6-Pack Only

6
PACK



85608
White and Clear Drum Shade, 6-Pack
Fitter: 8.00"
Height: 4.00"
Diameter: 7.63"
Sold as 6-Pack Only



81609
White and Clear Drum Shade
Fitter: 10.00"
Height: 4.25"
Diameter: 11.00"



81720
White Diffuser
Height: 1.50"
Square: 12.00"



81800
Clear Wheat Design on White Ruffled Edge Diffuser
Height: 1.50"
Square: 12.00"



81807
Clear Floral Design on White Diffuser
Height: 1.50"
Square: 12.00"



• **85571**
Gloss White Globe,
6-Pack
Fitter: 4.00"
Diameter: 8.00"



• **81570**
Gloss White Globe
Fitter: 3.25"
Diameter: 6.00"



• **85570**
6-Pack
of 81570

81869
White Polycarbonate Globe
Fitter: 3.25"
Diameter: 6.00"



• **81560**
Clear Seeded Globe
Fitter: 3.25"
Diameter: 6.00"

4
PACK



• **85712**
Gloss Clear Lustre Globe,
4-Pack
Fitter: 3.25"
Diameter: 6.00"
Sold as 4-Pack Only

6
PACK



• **85707**
Frosted Victorian Globe,
6-Pack
Fitter: 3.25"
Diameter: 6.00"
Sold as 6-Pack Only

6
PACK



85254
Clear Prismatic Globe,
6-pack
Fitter: 3.25"
Diameter: 6.38"
Sold as 6-Pack Only

6
PACK



• **85705**
Smoke Lustre Globe,
6-Pack
Fitter: 3.25"
Diameter: 6.00"
Sold as 6-Pack Only



81759
White Channel
Height: 3.75"
Width: 12.00"
Depth: 3.00"
Hole Size: .38"
Centered Hole



81758
White Channel
Height: 3.75"
Width: 7.50"
Depth: 3.00"
Hole Size: .38"
Hole 1.75" from end



• **83091**
3/4 Frosted Glass Chimney
Fitter: 3.00"
Height: 8.50"
Top Opening: 2.00"
Bulge: 4.00"



• **83062**
Clear Glass Chimney
Fitter: 2.63"
Height: 7.50"
Top Opening: 1.63"
Bulge: 3.50"



• **83070**
Clear Glass Chimney
Fitter: 2.63"
Height: 8.50"
Top Opening: 2.00"
Bulge: 3.63"



• **83090**
Clear Glass Chimney
Fitter: 3.00"
Height: 8.50"
Top Opening: 2.00"
Bulge: 4.00"



• **81162**
Clear Williamsburg Style Shade
Fitter: 1.63"
Height: 6.50"
Diameter: 3.75"



• **83072**
Clear Glass Chimney
Fitter: 2.63"
Height: 10.00"
Top Opening: 2.00"
Bulge: 3.63"



• **83100**
Clear Glass Chimney
Fitter: 3.00"
Height: 10.00"
Top Opening: 2.00"
Bulge: 4.00"



• **83101**
3/4 Frosted Glass Chimney
Fitter: 3.00"
Height: 10.00"
Top Opening: 2.00"
Bulge: 4.00"
Diameter: 4.00"



81493
Acrylic Prismatic Dome
Clip-On Shade
Height: 4.75"
Diameter: 8.00"
Clips onto an A-Shape bulb.



81494
Acrylic White Dome
Clip-On Shade
Height: 4.75"
Diameter: 7.75"
Clips onto an A-Shape bulb.

LIGHTING HARDWARE

For every repair or replacement need, Westinghouse has you covered. From sockets to switches, canopies to crossbars, we have the hard-to-find parts required to make your fixtures perform like new. Available in bulk and packaged.



***22259**
Twin Cluster Socket with Male Threads on Each End
Medium Base
6" Wire Leads, 18 Gauge
105° Leads
660 Watts Max., 250 Volts
½-IP Nipple
Height - 4¾"



70145
Horizontal Phenolic Snap-In Socket
Fits into ¾" x ¼" Hole
Medium Base
660 Watts Max.
250 Volts



70407
Keyless Phenolic Socket
¼-IP Hickey
Medium Base
660 Watts Max.
250 Volts



***22504**
3-Way Turn-Knob Socket
Medium Base
250 Watts Max.
250 Volts
Height - 1½"



***22381-3 Light**
***22382-4 Light**
Black Harness Set
Candelabra Base
Fits ¾" Hole
Includes Lock Nuts
SPT-2, 18 Gauge, 105° Leads
75 Watts Max. Per Socket, 125 Volts
12" on End
Height - 1¼"



***22220**
Pigtail Socket
24" Wire Leads
Candelabra Base
18-2, SPT-1
105° Leads
75 Watts Max.
125 Volts
Height - 1¾"



***22215**
1 ½" Socket
6" Wire Leads and Straight Bracket
Medium Base
18 Gauge, 105° Leads
Bracket Extends 1½"
Measured Center to Center
660 Watts Max., 250 Volts
Height - 1½"



***22213**
1 ½" Snap-in Socket
6" Wire Leads
Medium Base
Fits 1¼" Hole
18 Gauge
105° Leads
660 Watts Max., 250 Volts
Height - 1½"



***22217**
1 ½" Snap-in Socket
9" Wire Leads
Medium Base
Fits ¾" x ¼" Hole
18 Gauge
105° Leads
660 Watts Max., 250 Volts
Height - 1½"



70412 - 3-Way
70413 - On/Off
70421 - 2 Circuit
Turn-Knob Socket
Brass Finish
Medium Base
Tapped ½-IP
250 Watts Max., 250 Volts



70411 - On/Off
70431 - 3-Way
Pull Chain Socket
Brass Finish
Medium Base
Tapped ½-IP
250 Watts Max., 250 Volts



***70403 (Carded 2-Pack)**
Two 2" Keyless Sockets
Candelabra Base
Threaded ½-IP Hickey
75 Watts Max., 125 Volts



***22127**
Adjustable Keyless Sockets
Candelabra Base
Threaded ½-IP Hickey
75 Watts Max., 125 Volts
Height Adjustable from 3¼" - 4¾"



70409
Porcelain Keyless Socket
Medium Base
Threaded ½-IP Cap
660 Watts Max.
250 Volts
Height - 2"



***22267**
Porcelain Keyless Socket
Medium Base
½-IP Hickey
660 Watts Max.
250 Volts
Height - 2"
1875 Pulse Rated



***22370**
70425
Porcelain Fixture Socket
Medium Base
10" Wire Leads, Height - 2½"
½-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts



***22371**
Porcelain Fixture Socket
Medium Base
Height - 2"
¼-IP Hickey
660 Watts Max.
250 Volts



***22212**
Porcelain Snap-In Socket
Medium Base
6" Wire Leads
Fits 1½" Hole
18 Gauge, 125° Leads
660 Watts Max., 250 Volts
Height - 1¾"



***22372**
Porcelain Snap-In Socket
Medium Base
9" Wire Leads
Fits ¾" x ¼" Hole
18 Gauge, 105° Leads
660 Watts Max., 250 Volts
Height - 2"



***22273**
Porcelain 1-Piece Receptacle
Medium Base
660 Watts Max., 600 Volts
Height - 1½"
180° C Maximum Temp.



70010
Porcelain Threaded Socket with Aluminum Shade Ring
Medium Base
Height - 1 1/8"
Ring Height - 1/2"
660 Watts Max.
250 Volts



***11104**
Porcelain Halogen Socket
5" Wire Leads
SF-1 200° C 300V Leads
100 Watts Max., 250 Volts
Fits G4, GX5.3, GV5.3 and G6.35 Lamp Bases
Height - 3/8"



***22471 - GX5.3 Base**
Mini BiPin Quartz MR16 Socket
12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 1"



***22470 - GY6.35 Base**
Mini BiPin Quartz MR16 Socket
12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 3/8"



***22472 - GX5.3 Base**
Mini BiPin Quartz MR16 Socket
12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 3/8"



***22457**
Medium BiPin Lamp Holder Floating Action for U-Shape Lamps
Low Profile Size
20 Gauge
660 Watts Max., 600 Volts
Non Shunted



***22490**
Stationary End Lamp Holder
For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts
Non Shunted



***22491**
Plunger End Lamp Holder
For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts
Non Shunted



***22453**
Medium BiPin Lamp Holder
Low Profile Size
660 Watts Max., 600 Volts
T8/T12 Non Shunted




***22456**
Medium BiPin Turn Type Lamp Holder
Standard Size
No. 18/20 Gauge
Panel Mount
660 Watts Max., 600 Volts
Non Shunted



***22454**
Medium BiPin Turn Type Lamp Holder
Low Profile Size
No. 18/20 Gauge
Panel Mount, Captive Mount and Screw
660 Watts Max., 600 Volts
Non Shunted



***22150**
Porcelain Socket Extender
Medium Base
660 Watts Max., 250 Volts
Extension - 1/4"
Overall Length - 2 1/4"



***22411 70361**
Socket Adapter Enlarger
Enlarges Candelabra Base to Medium Base
75 Watts Max., 125 Volts



***22402**
Socket Adapter Reducer
Reduces German or Italian Base to Candelabra Size
With Rubber Ring
75 Watts Max., 120 Volts



***22403**
Socket Adapter Reducer
Reduces Intermediate Base to Candelabra Base
With Rubber Ring
75 Watts Max., 120 Volts




***22560 - FS-2**
Fluorescent Lamp Starter
FS-2 RoHS Compliant
14, 15 and 20 Watt Lamps



***22562 - FS-5**
Fluorescent Lamp Starter
FS-5 RoHS Compliant
4, 6 and 8 Watt Lamps



70160
2 Socket Keys
Brass Finish
With 1/2" Extensions
Tapped 3/16"-F x 3/16"-M



70161
2 Replacement Knobs
Black Finish
With 1/2" Extensions
Tapped 3/16"-F x 3/16"-M



70435
Phenolic Shade Ring for Medium Base Sockets
Outside Diameter - 2 3/16"
Inside Diameter - 1 5/8"
For use with phenolic sockets only.



70001
2 Aluminum Shade Rings for Medium Base Sockets
Outside Diameter - 2"
Inside Diameter - 1 1/2"
For use with porcelain threaded sockets.



70290
Replacement Canopy Light Switch with Brass Finish Pull Chain
3' Braided Cord
6" Wire Leads
Height - 1 1/4"
Fits 3/8" Hole



***22306**
Push Canopy Switch
4 3/4" Wire Leads
18 Gauge, 105° Leads
Fits 3/8" Hole
3A, 250 VAC
6A, 125 VL
6A, 125 VAC
Height - 1 1/4"



70111
Adjustable All-Purpose Crossbar
Slips 3/8"-IP
Holes Tapped 8-32
Adjusts from 3 3/8" to 5" for
Slot Mounting on 3", 3 1/4" or 4" Box
Two 1/2" Head Screws Included
Two 1/4" Head Screws Included
35 lb. Load Rating




***21038**
Circular Crossbar
4 Tapped 8-32 Holes
2 3/4" Center to Center
3 1/2" Center to Center
45 lb. Load Rating




70112
4" Offset Crossbar
Two 1/2" Mounting Screws
and 2 Tapped 8-32 Holes
Spaced 2 3/4" Apart
Slips 3/8"-IP



***21003**
70113
Crossbar 4" Long
Tapped 1/4"-IP
45 lb. Load Rating



70110
4" Crossbar Kit
Tapped 1/4"-IP
35 lb. Load Rating
Includes:
• 1 Crossbar 4" Long
• 1 3/8"-IP x 1/4"-IP Reducing Hickey
• 1 1/4"-IP x 1/8"-IP Reducing Bushing
• 2 8-32 x 1/2" Mounting Screws



70350 - Brass Finish
Screw Collar Loop Kit
Fits Canopies with a 1 1/8" Center Hole
Tapped 1/4"-IP, 35 lb. Load Rating
Includes:
• 1 Crossbar 4" Long
• 1 Screw Collar Loop • 2 Locknuts
• 1 Lock Washer • 1/4"-IP x 1/2" Nipple
• 1 3/8"-IP x 1/4"-IP Reducing Hickey
• 2 8-32 x 1/2" Mounting Screws



***21008**
Crossbar 3 3/8" Long
Ground Screw Inserted
Tapped 1/4"-IP
45 lb. Load Rating



***21004**
Crossbar 4" Long
Tapped 1/4"-IP
Green Ground Screw
45 lb. Load Rating



***21005**
Crossbar 4" Long
Tapped 1/4"-IP
45 lb. Load Rating



***21006**
70114
Offset Crossbar 4" Long
Tapped 8-32 Holes
Green Ground Screw
35 lb. Load Rating



***13206 - 3/4" Long**
***13212 - 1 1/2" Long**
70601 - 1 1/2" Long
(Carded 4-Pack)
Steel Nipple
Zinc-Plated, Threaded 1/4"-IP



70602 - 2" Long
(Carded 2-Pack)
70603 - 3" Long
(Carded 2-Pack)
Steel Nipple
Zinc-Plated, Threaded 1/4"-IP



70604 - 4" Long
(Carded 2-Pack)
***13248 - 6" Long**
70606 - 6" Long
(Carded 2-Pack)
Steel Nipples
Zinc-Plated, Threaded 1/4"-IP



70151
6 Assorted Nipples
Zinc-Plated
Includes:
• 2 1/4"-IP x 3/4"
• 2 1/4"-IP x 1 1/2"
• 2 1/4"-IP x 2"



70150
8 Assorted Nipples
Zinc-Plated
Includes:
• 2 1/8"-IP x 1/2"
• 2 1/8"-IP x 1"
• 2 1/8"-IP x 1 1/2"
• 2 1/8"-IP x 2"



70270
30" Steel Brass-Plated
All-Thread Pipe
Threaded 1/4"-IP



70272
12" All-Thread Lamp Pipe Kit
Zinc-Plated Steel
Includes:
• 2 1/4"-IP x 12" Threaded Pipe
• 2 1/4"-IP Couplings
• 2 1/4"-IP Locknuts
• 2 1/4"-IP Knurled Locknuts, 2 Washers




***12060**
Hexagon
Steel
Diameter - 1 1/8"
Tapped 1/4"-IP




70162 - (Carded 2-Pack)
2 Couplings Polished Brass Finish
Tapped 1/4"-IP




70638 - Brass Finish
Lock-Up Kit
For Ceiling Glass
Tapped 1/4"-IP



70621 - Solid Brass
70622 - Steel
6 Hex Nuts
Tapped 1/4"-IP



70172
12 Hex Nuts Solid Brass
Tapped 1/4"-IP



70628
6 Assorted Nuts and Washers
Brass-Plated Steel
For 1/4"-IP Nipples
Includes:
• 2 Lock Washers
• 2 Flat Washers
• 2 Hex Nuts



70152
16 Assorted Hex Nuts
Steel
Includes:
• 4 8-32 Hex Nuts
• 2 1/4"-27 Hex Nuts
• 6 1/4"-IP Hex Nuts
• 2 1/4"-IP Hex Nuts
• 2 3/8"-IP Hex Nuts



70153
12 Assorted Locknuts
Solid Brass
Includes:
• 2 8-32 Battery Nuts
• 2 Threaded 1/4"-27 Knurled Locknuts
• 2 1/4"-IP Knurled Locknuts
• 4 1/4"-IP Hex Nuts
• 2 1/4"-IP Knurled Locknuts




70660
4 Cap Nuts
Solid Brass
Diameter - 3/8"
Tapped 8-32



70156
13 Assorted Screws
Includes:
• 3 - 8-32 x 1/2" Brass-Plated
• 3 - 8-32 x 1/2" Nickel-Plated
• 3 - 8-32 x 3/4" Brass-Plated
• 2 - 8-32 x 1" Brass-Plated
• 2 - 8-32 x 2" Brass-Plated



70635
14 Piece Lighting Fixture
Repair Kit
Includes:
• 2 - 8-32 x 3/8" Philips Head Screws
• 2 - 8-32 x 1/2" Knurled Head Screws
• 2 - 8-32 x 3/8" Philips Head Screws
• 2 - 8-32 x 1/2" Knurled Head Screws
• 2 - 8-32 x 1" Cross Bar Screws
• 4 - 8-32 Knurled Knobs



70632 - Brass-Plated
1/2" Long
70634 - Brass-Plated
3/4" Long
3 Knurled Head Steel Screws
Threaded 8-32



70250
Two 1" Diameter Female
and Male Loops
Brass Finish
Threaded 1/2-IP
45 lb. Load Rating



70053
Traditional Canopy Kit
with Center Hole
Antique Brass Finish
5 1/4" Diameter, 7/16" Center Hole,
50 lb. Load Rating
Includes: 1 Canopy, 1 Crossbar,
4 Mounting Screws, 1 Lock Washer,
1 Locknut, 1 Screw Collar Loop,
2 Cap Nuts



70038
Modern Canopy Kit with Center Hole
Oil Rubbed Bronze Finish
5" Diameter, 7/16" Center Hole,
40 lb. Load Rating
Includes: 1 Canopy, 1 Screw Collar
Loop, 2 Mounting Screws,
1 Lock Washer, 1 Locknut



70037
Modern Canopy Kit with Center Hole
White Finish
5" Diameter, 7/16" Center Hole
40 lb. Load Rating
Includes: 1 Canopy, 1 Screw Collar
Loop, 2 Mounting Screws,
1 Lock Washer, 1 Locknut



70158
2 Lock-Up Caps
White Finish
Diameter - 1 1/4"
Tapped 1/4-IP



70169 - Brass Finish
70640 - Nickel Finish
2 Lock-Up Caps
Diameter - 3/8"
Tapped 1/4-IP



70052
Traditional Canopy Kit
with Center Hole
Brass Finish
5 1/4" Diameter, 7/16" Center Hole,
50 lb. Load Rating
Includes: 1 Canopy, 1 Crossbar,
4 Mounting Screws, 1 Lock Washer,
1 Locknut, 1 Screw Collar Loop,
2 Cap Nuts



70050
Traditional Canopy Kit
with Center Hole
Oil Rubbed Bronze Finish
5 1/4" Diameter, 7/16" Center Hole,
50 lb. Load Rating
Includes: 1 Canopy, 1 Crossbar,
4 Mounting Screws, 1 Lock Washer,
1 Locknut, 1 Screw Collar Loop,
2 Cap Nuts



†29453
70064
White Outlet Concealer
Holes Spaced 2 3/4" Apart
Diameter - 4 3/4"
Mounts on 3" or 4" Outlet Box
Includes:
• 2 8-32 x 3/4" White Head Screws
†Polybagged Bulk Items



†29452
70065
White Outlet Concealer Holes
Spaced 3 1/2" Apart
Diameter - 4 3/4"
Holes Spaced 3 1/2" Apart
Mounts on 4" Outlet Box
Includes:
• 2 8-32 x 3/4" White Head Screws
†Polybagged Bulk Items



70045
Ceiling Blank-Up Kit
White Finish
Diameter - 5 1/8", 7/16" Center Hole
Includes:
• 1 Canopy
• 1 1/2-IP x 2 1/2" Nipple
• 1 3/8-IP x 1/2-IP Reducing Bushing
• 1 Cap Nut



70770
1 1/2" Swag Hook Kit
White Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70446
Large 2" Swag Hook Kit
Brushed Pewter Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70440
Large 2 1/2" Swag Hook Kit
Polished Brass Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70441
Large 2 1/2" Swag Hook Kit
Antique Brass Finish
Includes:
• 1 Hook
• 1 Spring Toggle Wing
• 1 Running Thread Stud: 1/4-20 x 2 7/8"
• 1 Wood Screw: #14 x 1 3/8"
• 45 lb. Load Rating



70058
Blank-Up Kit
White Finish
Diameter - 5"
Holes Spaced, 2 3/4" Apart
Includes:
• 1 Canopy, 1 Crossbar,
2 Mounting Screws, 2 Cap Nuts
• 50 lb. Load Rating



70444
1 1/2" Swag Hook Kit
Brushed Pewter Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70450
1 1/2" Swag Hook Kit
Polished Brass Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70451
1 1/2" Swag Hook Kit
Antique Brass Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70452
1 1/2" Swag Hook Kit
Black Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70454
1 1/2" Swag Hook Kit
Oil Rubbed Bronze Finish
Includes:
• 2 Hooks
• 2 Spring Toggle Wings
• 2 Running Thread Studs:
#10-24 x 2 7/8"
• 2 Wood Screws: #10 x 1 1/4"
• 30 lb. Load Rating



70070
3' 11 Gauge Fixture Chain
Polished Brass Finish
35 lb. Load Rating



70071
3' 11 Gauge Fixture Chain
Antique Brass Finish
35 lb. Load Rating



70072
3' 11 Gauge Fixture Chain
Flat Black Finish
35 lb. Load Rating



70074
3' 11 Gauge Fixture Chain
Oil Rubbed Bronze Finish
35 lb. Load Rating



70075
3' 11 Gauge Fixture Chain
Brushed Nickel Finish
35 lb. Load Rating



70079
3' 11 Gauge Fixture Chain
Rust Finish
35 lb. Load Rating



70670
3' 11 Gauge Fixture Chain
White Finish
35 lb. Load Rating



***21457**
8 Gauge Fixture Chain
Flat Black Finish
50 lb. Load Rating
Sold by the Yard



70480
12' Swag Kit
Polished Brass Finish
12 Ft. Chain, 15 Ft. Cord
Gold Cord with White Switch
35 lb. Load Rating
Includes:
11 Gauge Chain, SPT-1 Cord Set,
Cord Switch, 2 Swag Hooks,
Mounting Hardware



70471
15' Swag Kit
Antique Brass Finish
15 Ft. Chain, 20 Ft. Cord
Opaque Gold Cord with Brown Switch
35 lb. Load Rating
Includes:
11 Gauge Chain, SPT-1 Cord Set,
Cord Switch, 2 Swag Hooks,
Mounting Hardware



70481
12' Swag Kit
Antique Brass Finish
12 Ft. Chain, 15 Ft. Cord
Opaque Gold Cord with Brown Switch
35 lb. Load Rating
Includes:
11 Gauge Chain, SPT-1 Cord Set,
Cord Switch, 2 Swag Hooks,
Mounting Hardware



***69559**
70099
Fixture Chain Pliers
7" Long
Works with up to 3 Gauge Chain
Used for Easy Opening
and Closing of Chain Links



70025
Electrified Candlestick
and Bottle Adapter
Includes:
• 8' 18 Gauge Cord Set
• Push-Through
Medium Base Socket
• 150 Watts Max. Rating
• 3 Rubber Bottle Adapters
• Hardware



70268
Make-A-Lamp 3-Way Socket Kit
Polished Brass Finish
Includes:
• 10" Detachable Harp
• 8' 18 Gauge Cord Set
• 3-Way Medium Base Socket
• 150 Watts Max. Rating
• Finial • Hardware



70269
Make-A-Lamp Push-Through
Socket Kit
Polished Brass Finish
Includes:
• 10" Detachable Harp
• 8' 18 Gauge Cord Set
• Push-Through Medium Base Socket
• 150 Watts Max. Rating
• Finial • Hardware



70219
Clip-On Lamp Adapter
Brass Finish
Threaded 1/4-27
Height - 3 1/16", Width - 2 1/8"
Depth - 1/2"
Overall Height - 4"
Clips Onto Medium Base
A Shape Lamps



70220 - 8"
70222 - 10"
70224 - 12"
2-Piece Detachable Harp
Polished Brass Finish



70136 (Carded 2-Pack)
2 Lamp Finials
Brass Finish
Height - 1"
Tapped 1/4-27



70131 (Carded 2-Pack)
2 Lamp Finials
Brass Finish
Height - 1 1/4"
Tapped 1/4-27
Box Depth: 0.88"



70130 (Carded 2-Pack)
2 Lamp Finials
Solid Brass
Height - 2"
Tapped 1/4-27



70005
Classic Ball Lamp Finial
Oil Rubbed Bronze Finish
Height - 1 1/2"
Tapped 1/4-27



70006
Classic Ball Lamp Finial
Brushed Nickel Finish
Height - 1 1/2"
Tapped 1/4-27



70133
Acorn Knob Lamp Finial
Brass Finish
Height - 1 1/2"
Tapped 1/4-27
Finial Thread Reducer
Tapped 1/8-M to 1/4-27-F



70321
Victorian Lamp Finial
Tiffany Antique Brass Finish
Height - 1 1/4"
Tapped 1/4-27



***24109 - 4" Long White**
70370 - 4" Long White
(Carded 2-Pack)
 Plastic Candle Socket Cover
 Candelabra Base
 I.D. - 2³/₂" O.D. - 7¹/₈"



***24140 - 4" Long White**
70371 - 4" Long White
(Carded 2-Pack)
 Plastic Candle Socket Cover
 Medium Base
 I.D. - 1¹/₂", O.D. - 1¹/₄"



74998 - Single Gang
74999 - Double Gang
 Plastic Wall Shield



74321
 8 Clear Safety Caps
 Covers Outlets



***22532**
 Snap-in Outlet with Ground Wire
 Black
 6" Wire Leads
 14 Gauge
 15A, 125 Volts
 Fits 1" Square Opening
 with Green Ground Wire
 Height - 7¹/₈"



***21494**
 Bare Copper Ground Wire with Lug
 18 Gauge
 Slips 8/32 Thread
 9" Lead



70506 - Brown
 Feed-Through On/Off Switch
 For Use with No. 18,
 SPT-1 Wire Only
 3A



70098
 8' Cord Set
 Silver
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70100
 8' Cord Set
 White
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70101
 8' Cord Set
 Brown
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70105
 8' Cord Set
 Gold
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70103
 15' Cord Set
 Gold
 Polarized Plug
 18-2 SPT-2, 105" Wire
 Free ends are Split, Stripped
 and Tipped



70108 - White
 6' Cord Set with Snap-In Pigtail
 Candelabra Base Socket
 and Cord Switch
 No. 18-2, SPT-1, 105" Wire
 75 Watts, 125 Volts
 Snap-In Spring Fits 1" Hole
 Switch is 12" from Socket



70003 - Brown
 6' Cord Set with Snap-In Pigtail
 Candelabra Base Socket
 and Cord Switch
 No. 18-2, SPT-1, 105" Wire
 75 Watts, 125 Volts
 Snap-In Spring Fits 1" Hole
 Switch is 12" from Socket



***23311 - White**
 6' Cord Set with Snap-In Pigtail
 Candelabra Base Socket
 No. 18-2, SPT-1, 105" Wire
 75 Watts
 125 Volts
 Snap-In Spring Fits 1" Hole

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
01010	88	21494	97	24109	97	61107	8
01011	35	22127	92	24140	97	61109	25
0101108	37	22150	93	29452	95	61110	6
01020	88	22212	92	29453	95	61111	11
0102011	88	22213	92	61006	9	61114	6
01030	89	22215	92	61007	15	61115	6
0103011	89	22217	92	61008	15	61116	6
01036	89	22220	92	61009	11	61117	18
0103611	89	22259	92	61012	8	61118	18
0104011	88	22267	92	61013	11	61119	18
01050	88	22273	92	61024	34	61120	18
0105011	88	22306	93	61026	15	61121	26
0105211	88	22370	92	61032	35	61122	26
01070	89	22371	92	61037	6	61123	18
01100	88	22372	92	61053	9	61124	41
01240	89	22381	92	61054	8	61125	42
01400	88	22382	92	61057	15	61126	44
01525	88	22402	93	61064	15	61127	42
0152511	88	22403	93	61065	15	61128	42
0200011	89	22411	93	61066	17	61129	46
0252511	89	22453	93	61067	50	61130	42
11104	93	22454	93	61068	50	61131	43
12060	94	22456	93	61069	50	61132	47
13206	94	22457	93	61070	24	61133	44
13212	94	22470	93	61071	23	61134	40
13248	94	22471	93	61072	23	61135	40
16584	85	22472	93	61073	17	61136	51
21003	94	22490	93	61074	17	61137	51
21004	94	22491	93	61075	49	61138	41
21005	94	22504	92	61100	25	61139	51
21006	94	22532	97	61101	12	61140	51
21008	94	22560	93	61103	30	61141	40
21038	94	22562	93	61104	5	61142	42
21457	96	23311	97	61106	8	61143	42

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
61144	40	61186	21	63019	31	63135	43
61146	40	61187	14	63034	31	63137	43
61153	6	61188	14	63036	31	63143	43
61154	6	61189	14	63038	5	63150	45
61155	28	61192	25	63039	28	63156	38
61156	28	61193	16	63040	28	63157	38
61157	28	61194	7	63041	28	63219	19
61158	28	61195	13	63048	22	63220	19
61159	21	62034	47	63059	9	63221	19
61160	5	62038	45	63060	8	63224	19
61161	27	62040	42	63065	19	63225	19
61162	27	62041	47	63069	31	63226	20
61163	7	62042	43	63070	31	63228	20
61164	4	62043	47	63073	29	63229	20
61165	30	62044	46	63074	29	63231	20
61166	12	62045	48	63075	29	63232	20
61167	25	62046	47	63076	26	63233	20
61168	16	62048	48	63078	18	63236	9
61169	12	62238	32	63079	11	63240	25
61170	12	62274	6	63082A	10	63241	17
61171	31	62275	6	63082B	10	63266	28
61172	31	62278	28	63084A	10	63268	8
61173	31	62279	28	63084B	10	63276	29
61174	17	62301	44	63085A	10	63278	29
61175	33	62303	48	63087A	10	63282	5
61176	33	62306	49	63088	17	63283	5
61177	21	62307	49	63089	17	63288	15
61178	13	62309	44	63090	13	63289	14
61179	9	63005	35	63092	15	63290	14
61180	9	63006	35	63096	7	63301	6
61181	27	63008	35	63099	7	63316	25
61182	27	63012	35	63120	45	63318	5
61183	26	63013	35	63124	40	63319	5
61184	7	63015	31	63131	43	63325	12

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
63332	27	63449	30	63588	41	63706	17
63336	5	63450	4	63593	44	63713	14
63346	10	63455	7	63595	44	63714	14
63347	43	63456	7	63596	46	63715	14
63348	43	63465	13	63598	46	63720	26
63351	41	63470	40	63606	45	63721	26
63352	42	63478	41	63608	46	63723	11
63355	31	63479	42	63609	46	63726	26
63360	16	63490	39	63610	42	63731	43
63363	30	63491	40	63611	45	64000	48
63372	9	63510	27	63617	13	64001	49
63379	29	63512	9	63619	8	64002	48
63380	29	63514	4	63620	8	64003	47
63384	13	63515	4	63621	8	64005	21
63389	13	63516	4	63622	9	64006	21
63390	45	63517	4	63623	9	64009	18
63391	45	63523	25	63627	6	64011	23
63393	44	63530	27	63632	12	64012	18
63394	44	63536	5	63642	51	64291	21
63399	40	63540	28	63643	51	64292	21
63403	19	63541	28	63644	19	64302	21
63418	5	63543	30	63645	20	64304	22
63419	5	63544	30	63663	14	64305	22
63420	4	63546	12	63684	4	64306	22
63421	29	63547	30	63691	25	64617	32
63422	16	63548	30	63695	25	64684	49
63433	4	63553	11	63697	9	64688	49
63434	30	63563	13	63698	9	65732	16
63435	30	63564	15	63699	12	65735	29
63438B	29	63565	15	63700	16	65736	29
63444	22	63566	8	63701	16	65737	31
63445	22	63567	8	63702	16	65738	19
63447	12	63575	42	63703	16	65745	27
63448	30	63577	41	63704	30	65781	44

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
65783	43	66610	23	67210	23	70098	97
65784	48	66611	23	67328	45	70099	96
65785	44	66654	32	67345	22	70100	97
65788	41	66680	24	67831	49	70101	97
65789	39	66686	22	67834	50	70103	97
65790	51	66699	23	67835	51	70105	97
65791	41	66741	48	67836	51	70108	97
65792	39	66746	48	67901	53	70110	94
65793	38	66800	52	67973	38	70111	94
65795	40	66803	52	67975	38	70112	94
65796	40	66808	53	69559	96	70113	94
65800	42	66818	52	70001	93	70114	94
65801	39	66822	53	70003	97	70130	96
65802	39	66823	53	70005	96	70131	96
65803	39	66853	50	70006	96	70133	96
65805	39	66861	53	70010	93	70136	96
65807	38	66878	52	70025	96	70145	92
66206	22	66882	52	70031	85	70150	94
66223	18	66885	52	70032	85	70151	94
66297	22	66898	49	70037	95	70152	94
66326	22	66919	52	70038	95	70153	94
66401	32	66924	50	70045	95	70156	95
66402	32	66946	52	70050	95	70158	95
66403	32	66949	52	70052	95	70160	93
66406	33	66955	53	70053	95	70161	93
66411	33	66964	50	70058	95	70162	94
66449	33	66971	50	70064	95	70168	86
66450	33	66972	49	70065	95	70169	95
66496	32	66975	53	70070	96	70172	94
66497	32	66976	53	70071	96	70219	96
66522	31	66983	50	70072	96	70220	96
66595	33	66991	53	70074	96	70222	96
66601	32	67202	23	70075	96	70224	96
66607	24	67208	24	70079	96	70250	95

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
70268	96	70481	96	72171	57	72307	73
70269	96	70506	97	72172	76	72308	73
70270	94	70601	94	72173	58	72309	71
70272	94	70602	94	72178	75	72310	71
70284	34	70603	94	72179	70	72312	71
70285	34	70604	94	72204	59	72313	70
70286	34	70606	94	72205	67	72314	71
70287	34	70621	94	72206	62	72317	73
70290	93	70622	94	72215	68	72319	70
70321	96	70628	94	72216	68	72320	66
70350	94	70632	95	72225	68	72321	65
70361	93	70634	95	72230	69	72322	65
70370	97	70635	95	72231	59	72323	66
70371	97	70638	94	72236	74	72324	66
70403	92	70640	95	72240	72	72330	73
70407	92	70660	95	72241	73	72334	75
70409	92	70661	84	72242	63	72336	63
70411	92	70670	96	72244	69	72338	64
70412	92	70770	95	72246	74	72341	63
70413	92	72039	60	72247	74	72344	72
70421	92	72042	60	72248	60	72347	72
70425	92	72046	58	72249	60	72349	65
70431	92	72051	58	72250	58	72354	70
70435	93	72053	62	72251	67	72359	64
70440	95	72059	57	72255	60	72362	75
70441	95	72074	59	72257	57	72364	64
70444	95	72076	62	72258	67	72366	74
70446	95	72077	58	72259	59	72369	74
70450	95	72078	58	72264	60	72371	64
70451	95	72090	62	72270	59	72372	69
70452	95	72091	59	72303	72	72375	70
70454	95	72096	65	72304	70	72379	61
70471	96	72168	76	72305	70	72381	61
70480	96	72170	76	72306	65	73038	66

Item#	Page#	Item#	Page#	Item#	Page#	Item#	Page#
73048	56	77013	84	77240	83	78024	66
73049	57	77014	84	77243	83	78127	61
73050	68	77015	85	77254	83	78409	61
73051	68	77016	85	77401	85	78614	61
73052	68	77021	86	77402	85	81095	37
73053	57	77022	86	77406	85	81098	37
73054	63	77023	86	77410	85	81100	90
73055	63	77027	87	77411	85	81119	37
73056	62	77028	87	77414	85	81162	91
73057	57	77035	87	77415	85	81208	90
74001B	67	77037	87	77416	85	81227	37
74002B	56	77044	86	77417	85	81242	90
74003B	56	77045	86	77492	83	81258	90
74004B	75	77047	85	77526	83	81270	37
74005B	56	77049	86	77527	83	81272	37
74321	97	77050	86	77732	87	81277	37
74998	97	77052	86	77733	87	81282	90
74999	97	77054	86	77845	83	81311	37
75004	55	77059	85	77846	83	81333	37
75007	54	77064	86	77847	83	81412	37
75008	54	77066	86	77848	83	81422	37
75009	54	77075	86	77849	83	81493	91
75011	54	77077	86	77850	83	81494	91
75012	54	77079	85	77851	83	81560	91
75013	54	77084	84	77852	83	81570	91
75014	54	77087	84	77853	83	81592	90
75015	54	77093	84	77870	82	81609	90
75016	54	77096	84	77871	82	81720	90
75051	55	77103	84	77872	82	81758	91
75052	55	77214	84	77873	82	81759	91
75053	55	77217	84	77875	82	81800	90
77005	84	77220	84	77879	82	81807	90
77007	84	77224	84	77882	82	81819	90
77012	86	77238	86	78003	61	81869	91

Item#	Page#
83062	91
83070	91
83072	91
83090	91
83091	91
83100	91
83101	91
85031	36
85033	36


Item#	Page#
85053	36
85055	36
85090	36
85100	90
85254	91
85570	91
85571	91
85578	90
85602	90

Item#	Page#
85606	90
85608	90
85613	90
85617	90
85705	91
85707	91
85712	91
85718	34
85757	90

Item#	Page#
-------	-------



Call 1-800-999-2226 or visit www.westinghouselighting.com.

 and Westinghouse are trademarks of Westinghouse Electric Corporation.
Used under license by Westinghouse Lighting. All Rights Reserved.